

INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1879.

A.

Abel, F. A., recent contributions to the history of detonating agents, 846.
Abel. See also Noble.
Abt, A., continuous spectrum of the electric spark, 765.
Adam, A., new and rapid process for analysis of butter, 80.
Adams, F. D., presence of chlorine in scapolites, 697.
Ador, E. A., and J. M. Crafts, action of phthalic anhydride on naphthalene in presence of aluminium chloride, 940.
Ador, E., and A. Rilliet, hydrocarbons produced by the action of methyl chloride on benzene in presence of aluminium chloride, 228, 527.
Ador. See also Friedel.
Adrianowsky, A., action of acetic and sulphurous anhydrides on aluminium chloride, 620, 915.
Albert, H., and L. Siegfried, estimation of the value of superphosphates, 967.
Allen, A. H., distinctive tests for phenol, cresol, and creosote, 182.
— petroleum spirit and benzene, 1063.
— presence of nitrogen in steel, 1017.
Allihn, F., compounds of ethyl monochloracetacetate, 915.
Amayat, E. H., compressibility of gases at high pressures, 1004.
Andreasch, R., ash of the garden pink and rose, 338.
— decomposition of ammonium formate by heat, 705.
Andreoni, G., nicotine, 731.
Andrews, T., curious concretion-balls derived from a colliery mineral water, 1024.
Annaheim, J., tetranitro-oxysulphobenzide, 244.

VOL. XXXVI.

Anschütz, R., action of ethyl iodide on the silver salts of maleic and fumaric acids, 223.
Anschütz, R., and L. P. Kinnicutt, phenylglyceric acid, 644.
Anschütz, R., and G. Schultz, phenanthrenequinone, 588.
Ans dell, G., physical properties of liquid acetylene, 1028.
Arata, P. N., alkaloid of *Baccharis coridifolia*, 1045.
Arnold, A. E., phosphorus in ancient iron, 1074.
— solubility of stannic oxide in hydrochloric acid, 888.
Aronheim, B., action of nitrous acid on resorcinol ethers, 465.
— action of nitrous acid on stannic phenyl chloride, 651.
— on Schützenberger's chlorine and iodine acetates, 452.
— synthesis of the compounds of phenyl with tin, 249.
Arzruni, A., crystallographical and chemical examination of some arsenical pyrites, 900.
Aschenbrandt, H., paradiethylbenzene from paradibromobenzene, 920.
Attenkofer, G., a simple gas-holder, 877.
Auerbach, F., the passage of the galvanic current through iron, 636.
Austen, P. T., on dinitroparadibromobenzenes and their derivatives, 50.
Ayton, W. E., electrical properties of bees' wax and lead chloride, 427.

B.

Babcock. See Hübner.
Baeyer, A., action of phosphorus pentachloride on isatin and allied compounds, 535.
— diphenylphthalide and phenylphthalein, 636.

Baeyer, A., synthesis of chinoline, 946.
 — the indigo-blue group, 937.

Balbiano, L., α -isochlorobutyric acid and its derivatives, 615.

Balland, waters of the Chéllif, 699.

Ballo, M., action of dehydrating agents on camphoric and camphoramic acids, 539.
 — mineral waters of Buda-Pesth, 125.

Balsohn, M., action of ethylene on benzene in presence of aluminium chloride, 785.

Baltus. See Béchamp.

Bancel, C., and C. Husson, phosphorescence of lobster's flesh, 665.

Bandrowski, E., reaction of dibromosuccinic acid with water, 523.

Bantlin, A., metanitrophenol and its derivatives, 237.

Barbieri, J., albuminoïds of gourd seeds, 272.

Barbieri. See also Schulze.

Bardy, C., and L. Bordet, estimation of methyl alcohol in wood spirit, 487.
 — preparation of methyl formate and pure methyl alcohol, 520.

Barth, L., dioxybenzoic acids, 157, 644.
 — thymoloxycuminic acid, 158.

Barth, L., and G. Goldschmidt, ellagic acid, 930.

Barth, L., and M. v. Schmidt, derivatives of α -phenoldisulphonic acid, 933.

Barth, L., and J. Schreder, action of fused soda on phenol. Synthesis of phloroglucinol, 633.
 — diphenol, 64.
 — fusion of aromatic acids with soda, 926.
 — oxidation of resorcinol to phloroglucinol, 633.

Barral, J., nitrates in beet-roots, 337.

Barsylowsky, azo-derivatives of toluene, 237.

Barus, C., the thermoelectric position and electric conductivity of steel in their relation to hardness, 999.

Baubigny, H., the oxide of nickel, Ni_2O_4 , 299.

Baudrumont, A., influence of coloured light on the evaporation of water, 863.

Bauer, M., the crystal system of potash mica, 24.
 — the hydrohaemite of Neuenberg, 604.

Baumann, E., behaviour of phenol in the animal organism, 816.
 — hydrogen-phenol sulphate and similar derivatives of the phenols, 148.

Baumann, E., and L. Brieger, formation of cresols during putrefaction, 789.
 — — paracresol, 789.

Baumann, E., and C. Preusse, bromophenolmercapturic acid, 803.
 — — oxidation and synthesis in the animal organism, 814.

Baumann, E., and F. Tiemann, constitution of indigo, 806, 935.

Baumhauer, H., "etch figures" on quartz crystals, 439.

Baur, A., dimethylparaphenylenediamine thiocarbamide, 628.

Bayley, T., analysis of alloys containing copper, zinc, and nickel, 485.
 — — catalysis, 501.
 — — complex oxides of cobalt and nickel, 507.

Beamer, M., and F. W. Clarke, aniline salts, 785.
 — — lithium picrate, 789.

Béchamp, A., formation of carbonic anhydride, alcohol, and acetic acid by yeast alone in presence and absence of oxygen, 663.
 — influence of oxygen on alcoholic fermentation, 735.

Béchamp, J., nature of the albumins in hydrocele, 550.

Béchamp, J., and E. Baltus, modification effected by the animal organism on various albuminoïd substances when injected into the veins, 334.

Bechi, the proper time for pressing olives, 1089.

Bechi, G. v., new mode of formation of ketones, 529.
 — — succinyl compounds of the toluidines, 461, 527.

Beck, C., dioxydiphenylmethane, 324.

Becker, G. F., reduction of weighings in air in chemical analysis to a vacuum, 396.

Beckmann, E. O., oxidation of products of diethyl sulphide and analogous compounds, 37.

Beckerts, H., and R. Otto, mode of action of sulphuric monochloride, 229.
 — — sulphuric monochloride and dichloride, 200.
 — — synthesis of aromatic sulphones, 242.

Becquerel, E., on a note by Lamansky on Stokes's law, 862.

Becquerel, H., magnetic rotatory power of gases at ordinary temperatures and pressure, 576.

Beetz, W., conductivity of liquids for heat, 1001.
 — — electric conductivity of zinc sulphate solution, 864.

Beetz, W., excitation of electricity by the contact of solid and gaseous bodies, 348.

Beilstein, F., perchlorophenol chloride, 463.

— separation of zinc from nickel, 276.

Beilstein, F., and L. Jawein, estimation of cadmium, 746.

— — estimation of zinc, 672.

— — treatment of Bunsen's cells, 576.

Beilstein, F., and A. Kourbatoff, dinitrochlorobenzene, 376.

— — nitrophthalic acid obtained by oxidation of nitronaphthalene, 644.

— — oxidation of bromonaphthalene, 807.

— — oxidation of nitronaphthalene, 722.

— — action of hydrogen sulphide on certain nitro-compounds, 230.

— — chloranilines, 143.

— — chloronitranilines, 309.

— — formation of chlorophenylene-diamine, 144.

Beketoff, M., determination of the atomic heat of hydrogen in its combination with palladium, 590.

— heat of hydration of sodium oxide and the action of sodium hydroxide and of hydrogen on sodium oxide, 689.

Bell, C. A., pyrrol derivatives, 525.

Bell, C. A., and E. Lapper, dry distillation of ammonium salts of saccharic acid, 524.

Bell, C. J., action of phosphorus pentachloride on saccharic acid, 917.

Bell, H. L., manufacture of crucible steel, 1076.

Bell, J. L., separation of carbon, sulphur, and phosphorus in the open hearth, puddling furnace, and Bessemer-converter, 185.

Bellucci, supposed existence of hydrogen peroxide in the organism of plants, 665.

Bemmelen, J. M., absorptive power of soils and of silica, 339, 552.

Bender, R., analysis of alloys employed as stopping for teeth, 1076.

Bendix, J., derivatives of ortho-nitrophenol, 314.

Benedikt, R., pentabromoresorcinol, 55, 464.

— tribromophenol bromide and tribromoresorcinol bromide, 717.

— trinitroso- and trinitro-phloroglucin, 57.

Benedikt. See also Weselsky.

Beins, H., preparation of carbonic anhydride under any desired pressure, 676.

Bennett, W. Z., and H. B. Hill, dichloracrylic acid, 616.

Benrath, H. E., Macagno's investigations on bottle-glass, 562.

Berend, L., isodulcite, 40.

Bernheimer, O., organic ferricyanogen compounds, 611.

Bernthsen, amidines and thiamides of monobasic organic acids, 922.

Bernthsen, A., and H. Klinger, sulphine compounds of thiocarbamide, 650.

Bernthsen, A., and H. Trompeter, amidines and thiamides of monobasic organic acids, 146.

Bersch, J., cultivation of pure beer-yeast, 1046.

Bert, P., region of the solar spectrum which is indispensable to vegetable life, 336.

Berthelot, action of organic solvents on sulphur and on metallic sulphides, 771.

— amalgams of the alkali-metals and the nascent state, 864.

— changes which wine undergoes when kept, 763.

— chemical constitution of amalgams of the alkali-metals, 883.

— combination of carbonic oxide with the elements, 591.

— decomposition of haloïd acids by metals, 589.

— direct combination of cyanogen with hydrogen and the metals, 909.

— etherification, 866.

— explosive mixtures of air with combustible powders, 412.

— formation of haloïd ethers in the gaseous state, 435.

— heat of formation of cyanogen, 767.

— hydrogenation of benzene and aromatic compounds, 376.

— influence of metallic chlorides on etherification, 449.

— observations on Noble and Abel's memoir on the combustion of gunpowder, 875.

— ozone and the silent electric discharge, 435.

— oxidation of nitrous acid by ozone and by moist oxygen, 9.

— reaction between mercury and hydrochloric acid gas, 298.

— reciprocal displacements between oxygen, sulphur, and the halogens when combined with hydrogen, 296.

— relative affinities and reciprocal

displacements of oxygen and the halogen elements, 351.
 Berthelot, remarks on a note on chloral hydrate by Wurtz, 1006.
 — some thermochemical data, 874.
 — transformation of sugar into alcohol by a purely chemical method, 778.
 Bertram, J., excretion of phosphoric acid by herbivora, 392.
 Bertrand, E., cinnabar crystals from California, 440.
 — the crystal form and twin-formation of leucophane, 442.
 Berwerth, F., examination of lithiamica from Paris (Marne), Rozena, and Zinnwall, 23.
 Beyrich, C., process for bleaching vegetable fabrics, 761.
 Bichat, E., magnetic rotatory power of vapours, 577.
 Biefel. See Poleck.
 Biel, J., investigation of American and Russian petroleum, 1076.
 Biermann, E. W. L., manganese alloys, 186.
 Binder, F., dimethylparaphenylenediamine carbamides, 627.
 Binder. See also Fittig.
 Bindschedler and Busch, manufacture of resorcinol, and of eosin and other derivatives of resorcinol, 291.
 — new fast green, or malachite green, 571.
 Bischof, G., estimation of traces of lead, 402.
 — sanitary notes on potable water, 985.
 Bischoff. See Hilger; also Wallach.
 Blankenhorn, A., aeration of must, 492.
 Blankenhorn, A., and H. W. Dahlem, fermentation of must, 993.
 Blankenhorn. See also Gamgee.
 Blas, M., detection of salicylic acid in beer, 342.
 Blattner. See Michler.
 Bleibtreu. See Wallach.
 Bleunard, A., action of trimethylamine on carbon bisulphide, 305.
 Blondlot, R., capacity of voltaic polarisation, 864.
 Blumberg, T., contributions to a knowledge of the alkaloids of ergot, 269, 387.
 Blyth, A. W., composition of Devonshire cream, 1068.
 Bochmann, Chili saltpetre as a manure for barley, 1050.
 Bochmann. See also Döring.
 Bode, F., extraction of copper by wet processes, 757.

Boeck. See Liebermann.
 Böhm, J., formation of starch in chlorophyll grains in absence of light, 551.
 Böttger, R., crystalline structure of bees' wax, 171.
 — detection of gypsum, heavy spar, &c., in meal, 183.
 — formation of hydrogen peroxide by the explosion of a mixture of oxygen and hydrogen, 103.
 — Planté's secondary battery, 101.
 — preparation of salts in a finely divided state, 107.
 — production of a high temperature by means of ammonium nitrate, 102.
 — production of rotatory movements in mercury, 102.
 — pyrophoric iron, 119.
 — reagent for detecting nickel, 179.
 — steeling copper-plates, 186.
 Böttinger, C., a new base, $C_{19}H_{18}N_2$, 716.
 — acetylene-carbamides, 142.
 — action of aniline on glyoxylic acid, 51.
 — action of phosphorus pentasulphide on organic acids, 45.
 — benzal sulphide and thiobenzaldehyde, 791.
 — conversion of aldehyde into mercaptan, 451.
 — dissociation of ammonium chloride, a lecture experiment, 196.
 — glyoxylic acid, 619.
 — monosulpholactic acid, 45.
 — pyroracemic acid, 524.
 — the amount of water contained in crystallised calcium glycinate, 522.
 — thioglycolic and thiodiglycolic ethers, 138.
 Bohlig, E., water analysis, 963.
 Boisbaudran, L. de, samarium, a new metal from samarskite, 889.
 — spectrum of erbium nitrate, 862.
 — spectrum of ytterbium, 861.
 Boisbaudran. See also Smith, J. L.
 Bokay, A., digestibility of nuclein and lecithin, 814.
 Bordet. See Bardy.
 Borgmann. See Neubauer.
 Bornträger, A., a new indicator for use in acidimetry and alkalimetry, 396.
 — method for rapidly incinerating meal, 282.
 Bottomley, J., colorimetical experiments, 77.
 Bouchardat, G., formation of glycolic and pyruvic acids from tartaric acid, 916.
 — identity of the hydrates of di-isoprene, eauoutchene, and terpene, 1039.

Bouchut. See Wurtz.

Bourgeois, L., crystalline barium chromate, 437.

Bourgoin, E., bromocitraconic acid, 457.
— elimination of bromine from bromocitraconic acid, and a new organic acid, 1037.

Boussingault, chromium-steel, 286.
— composition of the milk of the cow-tree, 73.

Boutmy, H., researches on nitroglycerol, 1032.

Bouty, pressure produced by galvanic deposits, 576.

Bouvet, A., electrochemical actions under pressure, 293.

Braun, F., unipolar electrolytic conduction, 194.

Bremer. See Mulder.

Breuer, A., and Zincke, derivatives of the hydrocarbon, $C_{16}H_{12}$, from phenol glycol, 327.

Brieger, L., aromatic products of the putrefaction of albumin, 806.

Brieger. See also Baumann.

Briem, H., influence of light on the yield of sugar beets, 1047.

Briem. See also Liebscher.

Brimmer, C., action of rain on clover hay, 823.

Brögger, W. C., occurrence of thomsonite at Läven, 605.
— the crystal system of mosandrite, 608.

Bronner, use of Hempel's lamp for illustrating silver assay as a lecture experiment, 402.

Brown, J., theory of voltaic action, 426.

Brown, W. G., philippium, 204.

Brühl, J. W., limits to the application of the method of determining vapour-densities in the barometric vacuum, 499.
— preparation of divaleryl, 520.
— purification of mercury, 508, 602.

Brunner, H., desoxalic acid, 619.
— improvements in the manufacture of alkali, 422.

Brush, G. J., and E. S. Dana, a new and remarkable mineral locality in Fairfield Co., Connecticut, U.S.A., 891.
— new minerals from Fairfield Co., Connecticut, 20.

Brylants. Essence of rosemary, 725.

Buchka, K., reduction of acetophenone, 61.

Buchner. Adulteration of bees' wax, 675.

Büchner, E. W., red and yellow ultramarine, 885.

Büchner, E. W., ultramarine, 597.

Büchner and Tschernak, the meteoric iron of Hungen, 366.

Bührig, H., cerium aniline black, 682.

Buisine. See Duvillier.

Bunge, G., behaviour of potassium salts in the blood, 816.

Bunge, N., composition of beetroot gum, 912.

Bungener. See Graebe.

Burger, H., spectroscopic investigation of the constitution of liquids, 101.

Burger. See also Liebscher.

Burghardt, C. A., occurrence of diop-tase on chrysocolla from Peru, 30.
— the origin of some ores of copper, 17.

Buri, E., Japanese wax, 1037.

Busch. See Bindschedler.

Byk, S., removal of sulphur from guanine thiocyanate, 614.

C.

Cahours, A., iodides of stannopropyl, 622.

Cahours, A., and E. Demarçay, acids obtained by distilling the crude acid from the saponification of fats in a current of steam, 1036.
— — — iodides of stannobutyl and stannamyl, 919.
— — — stannopropyls and stanniso-propyls, 918.

Cahours, A., and A. Etard, a new nicotine derivative, 732.

Cailletet, L., compressibility of gases, 429.
— a test for tartaric acid, which distinguishes it from citric acid, 674.

Calm, A., constitution of parabanic acid, 620.
— vapour-density of aqueous acids with constant boiling points, 579.

Cameron, C. A., amount of solids in milk, 490.
— estimation of lead as lead iodate, 484.

— preliminary notes on the absorption of selenium by plants, 955.
— the varying composition of well water, 485.

Cannizzaro, S., and Carnelutti, two isomerides of santonin, 330.

Cannizzaro, S., and L. Valente, santonin derivatives, 331.

Carnelley, T., relation between the melting-points of the elements and their coefficients of expansion by heat, 588.

Carnelutti. See Cannizzaro.

Carnot, A., mallardite, a new natural manganese sulphate; and luckite, a new variety of iron sulphate, 901.

— use of sulphuretted hydrogen in the dry way in analyses, 963.

Caro, H., and C. Graebe, rosolic acids, 59.

Caro, H., and Schraube, phenoldiazobenzene, 148.

Casamajor, P., influence of temperature on the deviation of polarised light by solutions of inverted sugar, 832.

Castan, F., estimation of minute quantities of soda in potassium nitrate, 399.

Cazeneuve, P., detection and estimation of salicylic acid in animal secretions, 488.

— estimation of glucose in the blood, 557.

— separation and estimation of hippuric acid, 748.

Cech, C. O., preparation of rosemary oil, 97.

Chapuis and Linnossier, presence of lead in bismuth subnitrate, 80.

Christiani, W., effect of manure on crops, 826.

Church, J. A., combustion in the blast-furnace, 841.

Ciamician, G., influence of temperature and pressure on the spectra of vapours and gases, 101, 685.

— reduction-products of Elemi-resin with zinc-dust, 69.

— spectra of the elements and their compounds, 685.

Claesson, P., ethereal sulphates of polyhydric alcohols and carbohydrates, 1033.

— methyl and ethyl sulphates, 775.

Claisen, L., amides of phenylglyoxylic acid, 649.

— benzoic cyanide and phenylglyoxylic acid, 647.

Claisen, L., and F. H. Morley, new method of preparing phenylglyoxylic acid, 322.

Claisen, L., and J. Shadwell, synthesis of pyroracemic acid, 45.

— synthesis of isatin, 534.

Clarke, F. W., electrolytic estimation of mercury, 976.

— specific gravity determinations, 295, 1004.

Clarke, J. W., some selenocyanates, 35.

Clarke. See also Beamer.

Classen, A., a new quantitative analytical method of manifold application, 969.

Classen, A., estimation of cobalt, nickel, and zinc by precipitation as oxalates, 1054.

— new method of separating ferric and aluminium oxides from manganese, 1055.

— separation of manganese from zinc, 1055.

Claus, A., cinchona alkaloids, 168.

Claus, C. F., improvements in the manufacture of sulphide and other compounds of zinc, and in the production of bye-products resulting therefrom, 423.

Claus. See also Wallace.

Clausius, R., the relation between work effected by the diffusion of gases and the second law of thermodynamics, 3.

Clausizer, F., action of sulphuric monochloride on the chlorides of titanium, antimony, tin, and silicon, 201.

— experiments on the preparation of sulphuric bromide and sulphur tetrabromide, 354.

— sulpho-oxychlorides, 691.

— sulpho-selenium oxytetrachloride, 201.

Clermont, P. de, action of ammoniacal salts on metallic sulphides, and its application to mineral analysis, 672.

Clermont, P. de, and J. Frommel, aurin, 789.

— dissociation of metallic sulphides, 13.

— magnesia as an antidote for arsenious acid, 77.

Cleve, P. T., chlorostannates of the rare earths, 601.

Clouët and Ritter, arsenic in grape-sugar, 1077.

Cochin, D., non-existence of a soluble alcoholic ferment, 1046.

Cox, L. C. W., solubility of lime in water in reference to the prescription for *Aqua phagedænica*, 491.

Cöllen, T., sulphoparachlorobenzoic acid, 155.

Cohen, E., the meteorite of Zsádany, Temesvar, 609.

Collins, J., duporthite, a new asbestos-form mineral, 24.

Conrad, M., ethyl formyltricarbonate, 918.

— identity of acetopropionic acid and levulinic acid, 453.

— substituted malonic acids, 707.

Conroy (Sir J.), the light reflected from potassium permanganate, 425.

Cooper. See Wanklyn.

Coppet, L. C. de, heat developed by

contact of water with anhydrous sodium sulphate, 589.
Coquillon, J., action of aqueous vapour on carbonic oxide in presence of red hot platinum, 880.
 —— action of platinum wire on hydrocarbons, 302.
Corenwinder, B., on the banana, 479.
Corne, J., reduction of iodates by phosphorus, 103.
Cornu, A., ultra-violet limit of the solar spectrum, 861.
Cossa, A., cinder and lava from Etna, 904.
 —— distribution of cerium, lanthanum, and didymium, 695.
 —— serpentine from Verrayes (Aosta), 362.
Costelo, D., gamboge, 1041.
Cotte, E., improvements in the manufacture of certain explosive compounds, 422.
Cottu, H., use of sour food for cows, 1049.
Counciler, C., boron compounds, 621.
Crafts. See **Ador**; also **Friedel**.
Credner, H., the red gneiss of the Saxon Erzgebirge, 361.
Cresti, L., gas regulator for air-baths, 294.
Crié, L., an amyloid substance peculiar to the "asques" of pyrenomycetes, 613.
Croil, A. A., improvements in the manufacture of sulphate of alumina, 423.
Crookes, W., illumination of the lines of molecular pressure and the trajectory of molecules, 573.
Cros, C., action of light of different colours on silver bromide impregnated with various organic colouring matters, 504.
Crova, A., spectrometric measurement of high temperatures, 293.
Cumenge, E., and E. Fuchs, the state in which the precious metals exist in certain minerals, rocks, and artificial products, 509.
Custer, E., action of ethyl chlorocarbonate on mono- and di-amylamine, 913.

D.

D'Abbadie, amount of nitric acid in the waters of the Nile, 905.
Dahlen. See **Blankenhorn**.
Dahll, T., norwegium, a new metal, 890.
Dal Sie, G., active principle of insect powder, 807.
Dale, R. S., and C. Schorlemmer, aurin, 58, 925.
Damm. See **Staedel**.
Damour. See **Descloiseaux**.
Dana. See **Brush**.
D'Arsonval, estimation of sugar in blood, 674.
Dastre, "starch granules" and "amyl-oïdes" of the egg, 662.
Daubrée, A., a meteorite belonging to the eukrite group, 610.
 —— experiments on the erosive action of strongly compressed hot gases, with reference to the history of meteorites, 1024.
David. See **Prunier**.
Davis, T. H., testing and valuing gas liquor, 79.
Davy, E. W., nitrification, 1046.
Debray, H., peculiarity of an experiment of Gay-Lussac and Thénard, 887.
Debrunner, H. G., third form of carbon in steel, 842.
De Chaumont, F., experiments with animal charcoal, silicated carbon, and spongy iron filters, 986.
De Forcand, formation of glycocine from ethyl nitroacetate, 621.
 —— formation of organic ultramarines, 622.
Dehérain, assimilation of soda by plants, 666.
Dehnst. See **Liebermann**.
Deite, C., ghee butter, 568.
 —— iodine industry in France, 283.
 —— testing lubricating oils, 188, 292.
Delachanal. See **Vincent**.
Delafontaine, M., decipium, a new metal from samarskite, 117.
 —— philippium, 116.
 —— terbium and its compounds, and the probable existence of a new metal in the samarskite of North Carolina, 114.
 —— the mosandrum of J. L. Smith, 117.
 —— the probable compound nature of the didymium from cerite, 119.
Demarçay, E., homologues of oxyheptic acid, 458.
 —— relations of tetric and oxytetric acids and their homologues to succinyl, malyl, and other radicles of the bibasic acids, 459.
 —— tetric acid and its homologues, 457.
Demarçay. See also **Cahours**.
Demel, W., amidonitrosulphide of iron, 597.

Demel, W., zinc phosphates, 1016.
 — zinc and cadmium arsenates, 884.

De Mering. See Musculus.

Demole, E., formation of a ketone containing four carbon-atoms from dibromethylene, 220.

Dennstedt, M., benzyl orthothioformate, 318.

Denzel, J., nomenclature and boiling points of the chlorobromo substitution products of ethane and ethylene, 368.

Desains, P., refraction of invisible heat, 864.

Descamps, A., potassium cobaltocyanide, 303.

Descloiseaux and Damour, homilite, 32.

Destrem, A., cholic acid, 333.
 — compounds of metallic salts with compound ammonias, 376.

Destrem. See also Schützenberger.

Deutsch, A., ethereal salts of tribasic formic acid, 453.

Dieck, E., and B. Tollens, the carbohydrates of the Jerusalem artichoke, 778.

Diehl, T., and V. Merz, naphthopinic acid and some of its derivatives, 250.

Dietzell, B. E., and M. G. Kressner, estimation of phosphoric acid in fish guano, 908.
 — testing of butter, 407.

Dieulafait, L., distribution of copper in primordial rocks, and in the sedimentary deposits derived from them, 1020.
 — presence of ammoniacal salts in sea-water, 9.
 — the existence of barium and strontium in all rocks constituting the primary formation, 444.

Disqué, L., urobilin, 170.

Ditte, A., action of hydrazids on mercuric sulphate and of sulphuric acid on the haloid salts of mercury, 299.
 — researches on the decomposition of metallic salts, and on certain inverse reactions which take place in presence of water, 1006.

Dittler. See Michaelis.

Dittrich, E., methyltaurine, methyltaurocyamine, and taurocyamine, 225.

Dixon, W. A., metallurgy of nickel and cobalt, 285.
 — extraction of gold, silver, and other metals from pyrites, 288.

Doebner, O., homologous tertiary diamines obtained in the methylaniline manufacture, 786.
 — malachite-green, 312.

Doebner, O., and W. Stackmann,

synthesis of oxyketones by introducing acid radicles into phenols. Part II, 319.

Doebner, O., and W. Wolff, synthesis of oxyketones, 638.

Doelter, C., diopside, 442.
 — estimation of ferrous oxide in silicates, 484.

Doering and Bochmann, effect of artificial manures on the growth of barley and on meadow land, 828.

Dogiel, J., reactions of albumin, and behaviour of the albumin of the refracting media of the eye, 834.

Donath, E., applications of glycerol in analysis, 178.
 — detection of chromates and of free chromic acid, 401.

Donath, J., preparation of barium from barium amalgam, 691.
 — specific heat of uranoso-uranic oxide and the atomic weight of uranium, 688.

Dorn, E., electric currents produced by the flow of liquids through tubes, 346.

van Dorp. See Hoogewerff.

Douglas, T., green pigment from barium chromate, 987.

Dragendorff and Stahre, chemistry of the *Peonia peregrina*, 1043.

Draper, J. C., presence of dark lines in the solar spectrum which correspond closely with the oxygen lines, 997.

Drechsler, G., potato cultivation, 823.

Dreschel, E., preparation of crystalline albumin compounds, 950.

Drevermann, A., recovery of sugar from calcium saccharates, 492.

Drevermann. See also Steffens.

Drown, T. M., determination of silicon in pig iron and steel, 974.

Drygin, a new quinine salt, 169.
 — cinchonincine, a new quinine alkaloid, 169.

Duelaux, E., ripening and decomposition of cheese, 858.

Duke Carl Theodor of Bavaria, influence of the temperature of the surrounding air on the excretion of carbonic acid and the absorption of oxygen in the cat, 74.

Duncan, J., J. A. R. Newlands, and B. E. R. Newlands, improvements in the treatment of saccharine substances or compounds (patent), 421.
 — improvements in the treatment of sugar (patent), 421.

Dupré, A., detection and estimation of alum in wheat flour, 483.

Du Puy, C. M., direct process for making wrought iron and steel, 565.

Durand, bark of the root of the pomegranate, 169.
 Durin, inversion of cane-sugar, and consecutive alteration of the glucosides so formed, 369.
 Du Roi. See Kirchner.
 Duvillier, E., derivatives of normal methoxybutyric acid, 523.
 — dimethacrylic acid, an isomeride of angelic acid, 782.
 — isomeride of angelic acid, 706.
 Duvillier, E., and A. Buisine, commercial trimethylamine, 912.
 — separation of ethylamines, 306.
 Dwars, B. W., determination of quinine in certain of its salts, 488.
 — on the iodosulphates of the quinine alkaloids, 982.

E.

Ebermann. See Wein.
 Eckart. See Heyden.
 Eder, J. M., behaviour of gums and carbohydrates towards chromates under the influence of light, 911.
 — estimation of nitric acid in well water, 274.
 — examination of Chinese tea, 851.
 Edison, T. A., action of heat on metals in a vacuum, 1018.
 Edlund, E., the electromotive force produced by the flow of liquids through tubes, 998.
 Egger, E., bilic acid, an oxidation-product of cholic acid, 810.
 Elder. See Rodwell.
 Eltekoff, reactions of the halogen-compounds of the olefines, 35.
 Eltekoff. See also Lagermark.
 Emmerling, O., metallic phosphides, 508.
 Engel, R., and Moitessier, dissociation of ammonium hydrosulphide, 979, 880.
 — dissociation of ammonium sulphide, 879.
 — dissociation of chloral hydrate, 500.
 Engelbrecht. See Ladenburg.
 Engler, C., a sulphuretted derivative of acetophenone, 61.
 — sulphuretted derivatives of benzophenone, 61.
 — tetraphenylethane, 68.
 Erdmann, J., colouring matter of red wine, 171.
 Erlenmeyer, E., studies of the phosphates, 201.
 — the two isomeric dibromopropanes, 908.

Esbach, G., estimation of urea in urine, 1067.
 Estcourt, C., analysis of the waters of Lake Thirlmere and the River Vyrnyw, 906.
 — desirability of fixing by analysis some standards of value for beer based on the qualities usually sold in large towns, 290.
 Etard, A., oxidation of aromatic compounds, 320.
 — researches on the sulphates, 104, 593.
 Etard. See also Cahours and Gal.
 Etti, C., Malabar-kino and kinoïn, 159.
 Eugling, W., composition of the colostrum of the cow, 815.
 Eugling, W., and v. Klenze, Alpine dairy produce, 857.
 Ewald, H., some coerulignone derivatives, 253.
 Exherich. See Michler.
 Exner, F., electrolysis of water: galvanic polarisation, 577.
 — galvanic polarisation of platinum in water, 578.
 Eyndhoven, A. J. v., gaslighting, 85.
 Ezweiler, researches on perbromination, 701.

F.

Fahlberg, C., liquid toluene sulphonate chloride and Beckurt's so-called toluenemetasulphonic acid, 804.
 Fahlberg, C., and I. Remsen, oxidation of orthotoluenesulphamide, 628.
 Farsky, F., salicylic acid as a preventive of house-fungus, 1080.
 Fassbender, R., double salts of calcium sulphate, 203.
 Fesca, M., mechanical analysis of soils, 673.
 Ficius, O., preparation of pure tartaric acid, 917.
 Field. See Jackson.
 Fileti, M., chemical nature of the essence of Laurocerasus and of bitter almonds, 719.
 — cinchonine, 655.
 Fileti, M., and R. Piccini, decomposition of phenylethylamine hydrochloride, 922.
 Finkener, R., estimation of phosphoric acid as ammonium phospho-molybdate, 275.
 Fischer, E., hydrazine-compounds of the paraffin series, 450.

Fischer, E. and O., certain colouring matters of the rosaniline group, 236.
 — dyes of the rosaniline group, 787.
 — remarks on Doebrer's communication on "malachite-green," 787.
 — triphenylmethane, 326.
 — triphenylmethane and rosaniline, 384.
 Fischer, F., heating steam boilers, 1070.
 — iron smelting in the cupola furnace, 564.
 — utilisation of suint from wool, 86.
 — wearing out of steam boilers, 410.
 Fischer, G., new colouring matter from orthamidophenol, 924.
 Fischer, O., condensation-products of tertiary aromatic bases, 53.
 Fischli, H., paratoluic and terephthalic acids, 638.
 Fittica, F., nitrobenzoic acids, 150.
 Fittig, R., constitution of tiglic and angelic acids, 456.
 — formation of unsaturated hydrocarbons from the addition-products of non-saturated acids, 376.
 — uric acid formula, 142.
 Fittig, R., and F. Binder, addition-products of cinnamic acid, 378.
 Fittig, R., and F. Gebhard, fluoranthene, a new hydrocarbon from coal-tar, 165.
 Fittig, R., and W. F. Hillebrand, quinic acid, 159.
 Fittig, R., and H. Lippmann, constitution of isodiphenic acid and fluoranthrene, 536.
 Fittig, R., and H. Schmitz, diphenylenemethane, 164.
 Fittig, R., and C. Wurster, atropic and isotropic acids, 379.
 Fitz, A., fungoid fermentation, 172.
 — schizomyctetic fermentation, 664.
 Flavitzky, F., amyl compounds, 37.
 — dehydration of propylene-glycol, 136.
 — dextrogyrate terpene from the turpentine of *Pinus sylvestris*, 168.
 — hydration of terpenes, 726.
 — structure of terpenes, 167.
 Flavitzky, F., and P. Kriloff, isopropylacetylene, 134.
 Fleck, E., manufacture of artificial mother-of-pearl and of imitations of marble from glue, 996.
 Fleitmann, T., preparation of malleable nickel and cobalt, and the application of these metals, 563.
 Fletcher, J., preparation of sulphurated hydrogen, 1013.
 Flowers, H., lactucarium, 1041.
 Fluegger, T., spitting of silver, 438.
 Forerand, organic ultramarines, 329.
 Foudlakowsky, G., lactoglucose and galactose, 137.
 Fouqué, F., and M. Lévy, production of felspars by fusion, and by prolonged maintenance at a temperature near that of fusion, 358.
 Franchimont, N., zinc acetate, 452.
 Franchimont, N., and Sicherer, the colouring matter of sandal and caliatour woods, 470.
 Franchimont, N., and Wigman, betulin, 469.
 — — — lactucone, 468.
 Fraude, G., aspidospermine, 470.
 — orthocresolphthalein, 634.
 Freda, P., preparation of digalic acid, 645.
 Fredericq, L., haemocyanine from the blood of the *Octopus vulgaris*, 333.
 Fremy, E., artificial formation of coal, 896.
 Fresenius, R., alkaline constituents of the Hunyadi János springs at Budapest, 366.
 — estimation of the available zinc in zinc-dust, 400.
 Freund, C., some galvanic properties of aqueous solutions of metallic salts, 863.
 Freyberg, E., plant respiration, 736.
 Friedel, Crafts, and Ador, durene derivatives, 713.
 Friederici, T., action of hydrogen on metanitro - paratrichloracetato - toluidine and metanitro - paravaleryl - toluidine, 311.
 — new method of preparing chrysanic acid, 324.
 Friedländer, C., and E. Hertter, action of carbonic acid on the animal organism, 174.
 Fritzsche, P., oxyphenylacetic acid, 322.
 Frommel. See Clermont.
 Fuchs. See Cumenge.

G.

Gabba, L., and O. Textor, influence of the chemical composition of the water used in the preparation of raw silk, 493.
 Gabriel, S., substituted phthalanils, 323.
 Gabriel, S., and A. Michael, action of dehydrating substances on anhydrides, 245.
 — — — benzylmethylglycollic acid, 795.

Gabriel, S., and J. Zimmerman, di-nitro-hydrocinnamic acid and its derivatives, 639.

Gail, F., oxidation of dioxydiphenylmethane, 325.

Gal, H., and A. Étard, researches on strychnine, 387.

Galimberti, A., a critical point in making Parmesan cheese, 764.

Gamgee, A., and E. Blankenhorn, protagon, 950.

Gatellier, E., absorption of atmospheric nitrogen by plants, 818.

Gaudin, M. A., application of the author's atomic theory to certain minerals, 602.

Gawalowski, a process for utilising the residue from the manufacture of potassium ferrocyanide, 680.

Gayon, V., inversion and alcoholic fermentation of cane-sugar, 336.
— inactive glucose in crude cane-sugars, 97.

Gayon and Millardet, on the saccharine matter contained in vines suffering from phylloxera, 1048.

Gebhard. See Fittig.

Gerichten, E. v., β -chlorocymene from thymol, 230.

Gerichten, E. v., and W. Rössler, α -oxyparacetoluc acid, 323.

Gerlach, G. T., extraction of sulphur by means of superheated steam, 284.

Gerland, W., and J. Roberts, preservation of beet-leaves and the preparation of brown hay from maize, 960.

Gernez, D., distillation of liquids under the influence of static electricity, 997.

Gerresheim, H., ammoniacal mercury compounds, 438.

Geuther, A., diethylglyoxylic ether and diethylglyoxylamide, 220.

Giacosa, P., action of amyl nitrite on blood, 816.
— fermentation of hydroxyvaleric acid, 782.
— phenolglycolic acid, 929.

Giacosa. See also Nencki.

Girard, A., conversion of hydrocellulose into pyroxylan, 911.
— hydrocellulose, 779.

Girard and Fabst, nitrosyl-derivatives, 383.

Giraud, E., derivatives of indigotin, 936.

Gluge, O., calcium chloride, 562.

Göbel, W., purification of gas by ammonia, 986.

Götschmann, T., methyl- and dimethyldiacetonamine, 1035.

Goldberg, A., parahydroxysalicylic acid, 928.

Goldberg. See Schmitt.

Goldschmidt, A., the three isomeric tolidines, 235.

Goldschmidt, G., idrialin, 167.

Goldschmidt. See also Barth.

Goldstein, M., action of nitric acid on phenol and on nitrophenol, 148.
— boiling points of normal ethanes (paraffins), 765.
— dibenzoyl-dinitro-diphenol, 148.

Golubeff, P., action of nitric acid on deoxybenzoïn, 150.
— nitro- and amido-derivatives of deoxybenzoïn, 750.

Gorgeu, A., artificial manganese dioxide, 600.

Gottfriedsen, on tanning and mineral tanning, 100.

Graebe, C., alizarin-blue, 259.
— alizarinsulphonic acid, 655.

Graebe, C., and H. Bungener, synthesis of chrysene, 807.
— — — synthesis of deoxybenzoïn, 790.

Graebe. See Caro.

Grätzel, A., eupittone and pittacal, 253.

Grandjeau, L., influence of atmospheric electricity on plants, 818.

Grawitz, S., action of chromium salts in presence of chlorates, 420.
— formation of aniline-black by chromate in presence of chlorates, 495.

Greene, H., preparation of hexamethylbenzene from acetone, 904.

Greene. See also Le Bel.

Greenish, H. G., *Bidara laut*, 1045.

Grenfell, J. G., supersaturated solutions, 501.

Grete, E. A., estimation of nitric acid as ammonia, 79.
— estimation of nitrogen in nitrogenous organic bodies, 80.
— formation of nitrites in the soil, 737.

Griess, P., action of cyanogen on amido-benzoic and anthranilic acids in aqueous solution, 321.
— action of some diazosulphonic acids on phenols, 315.
— amidobenzoic percyanide, 466.
— derivatives of benzoic acid, 246.
— remarks on Weselsky's and Benedict's investigation on some azo-compounds, 629.

Grimaux, E., pseudouric acid, 784.
— synthesis of uric acid derivatives, 460.
— synthesis of uric acid derivatives: alloxan, uramil, murexide, &c., 376.

Grimaux, E., and J. Tschereniak, preparation of malonic acid, 782.
 Grimshaw, H. and C., analysis of the water of Thirlmere, 211.
 Grodzki. See Krämer.
 Grosheintz, H., tetrallylammonium bromide and triallylamine, 779.
 Grosjean, H., analysis of some fodders and observations on the damage caused to Italian beans by the bean insect, 552.
 Grossman, J., softening magnesia-hard water, 985.
 Grothe, O., metaiodonitro- and meta-iodamido-benzoic acids, 377.
 Gruber, M., action of nitrous anhydride on protocatechuic acid, 643.
 Guareschi, J., ethylidenedisulphuric acid, 710.
 Gumbell, C. W., phyllite or sericite-gneiss, 207.
 — the stone of the "Julius Column," the Lavez rock in the Upper Engadine, and the sericite-gneiss in the Bündener Alps, 25.
 Guignet, E., constitution of coal, 602.
 Guldberg and Waage, chemical affinity, 580.
 Gunning, J. W., action of alcohol on bacteria, 817.
 — conditions of life of the lower organisms, 664.
 — ferric chloride as a purifier of water, 1072.
 Gustavson, G., bromination of aromatic hydrocarbons in presence of aluminium bromide, 142.
 — compounds of aluminium chloride with benzene and toluene, 461.
 — compounds of cymene with aluminium bromide and chloride, 785.
 — interpretation of reactions occurring in presence of aluminium chloride, 785.
 — compounds of aluminium chloride with benzene and toluene, 308.
 Guthrie, F., on salt solutions and attached water, 428.
 Gutknecht, H., diagnosis of fatty alcohols, 673.
 Guyard, A., action of oxalic acid on chlorates, bromates, and iodates, 593.
 — copper and ammonium oxyferrocyanides, 775.
 — iodated potassium iodide, 595.
 — Laurent's "Carminaphtha," 466.
 — law peculiar to metallic ferrocyanides, 830.
 — separation and estimation of chlorine, bromine, and iodine, 670.
 — viscosity, a cause of catalysis, 876.

Guyot, P., deposits of calcium phosphate in the Vosges, 19.

H.

Haas, B., ripening of grapes, 174.
 Haberlandt, F., cohesive power of soils, 957.
 — evaporation of water from the ground, 667.
 — strength of hemp, 859.
 Habermann, J., glycyrrhizin, 1040.
 Haddan, H. J., treating ores containing silver and copper, 496.
 Häusserman, C., manufacture of methylaniline, 995.
 Hager, H., butter analysis, 81.
 — estimation of alcohol and extractive matter in wine, 179.
 — testing milk for starch powder, 674.
 Hahn. See Staedel.
 Haitinger, L., nitrobutylene, 700.
 Haller, A., cyano-derivatives of camphor, 329.
 — iodo-camphor, 329.
 Hanemann and Hanhart, desulphurisation of dithiodidimethylaniline, 714.
 Hammarsten, O., paraglobulin, 472.
 Hammerl, H., freezing mixture of calcium chloride and snow, 689.
 — solution of carbonic oxide in an acid solution of cuprous chloride, 887.
 Hanhart, action of chloroform and perchloromethane on dimethylaniline, 714.
 — action of copper on trichlorobenzene, 714.
 Hanhart. See also Hanemann.
 Hanko, W., modification of Simpson's method for estimating nitrogen, 554.
 Hanriot, derivatives of glycerol, 1029.
 — on glycide, 449.
 Hansel, v., phosgenite from Monte Poni, Sardinia, 604.
 Harnack, E., the basic constituent of Dita bark, 332.
 Hartmann, M., basalts of the Auckland Islands, 903.
 Hartwig, E., oil of wine, 615.
 Harz, C. O., spergulin, a new fluorescent body, 469.
 Hauer. See Müller.
 Hawliczek. See Lippmann.
 Head, dephosphorisation of pig iron, 1075.
 Hecht, O., and J. Munier, isoheptylic acid from β -hexyl iodide, 140.

Heckel, E., influence of salicylic acid, thymol, and some essential oils on germination, 172.

Hehner, O., determination of phosphoric acid as phosphomolybdate, 482.
— examination of Pavy's method of determining glucose, 834.
— method of testing butter, 181.
— the influence of chloroform on nitrification, 395.

Heiden, on the supply of nitrogen to plants, 739.

Heinrich, R., artificial manures, 1050.
— estimation of dextrose and inverted sugar in presence of saccharose, 180.

Heintz, W., benzaldiacetoneamine, 54.
— vanillo-diacetoneamine, 144.

Heinzelmann, R., dehydroacetic acid, 141.

Heinzelmann and L. Spiegelberg, pentabromobenzene-sulphonic acid, 802.

Helkenberg. See Tiemann.

Hell, C., and O. Mühlhäuser, action of bromine on acetic acid, 705.
— — — addition-product of acetic acid with bromine and hydrobromic acid, 705.
— — — addition-product of acetic acid with bromine and hydrochloric acid, 705.

Hell, C., and P. Schoop, aniline residues, 715.
— — — dibromocapric acid, 521.

Helm, O., gedanite, a new fossil resin, 300.
— microscopical properties of amber, and the amount of sulphur contained in it, 300.
— the sulphur in fossil resin, 896.

Hempel, W., estimation of hydrogen in gaseous mixtures, 670.
— fractional combustion of hydrogen and marsh-gas, 747.
— limit of detection of carbonic oxide, 1063.
— simultaneous determination of carbon, hydrogen, and nitrogen in elementary analysis, 278.

Henneberg, W., determination of fibrin, 835.

Henneberg, W., E. Kern, and H. Wattenberg, fattening of sheep, 811.

Henrichsen, S., specific heat of water, 1002.

Henry, L., a new unsaturated hexavalent hydrocarbon, diallylene, C_6H_8 , 34.

Hensgen, C., action of hydrochloric acid on double sulphates, 105.
— action of hydrochloric acid gas on sulphates, 105.

Hensgen, C., new double salt of chromic acid, 887.

Hepp, some addition-products of trinitrobenzene and other nitro-compounds, 50.

Héraud, A., new voltaic element with constant current, 426.

Hering, C. A., recovery of antimony, 491.

Hermann, R., specific gravity and atomic volume of the cerium metals, 579.

Herter, E., tension of oxygen in arterial blood, 811.

Herter. See also Friedländer.

Herth, R., chemical nature of peptides, 660.

Hertz, J., estimation of silver, chlorine, bromine, and iodine by ammonium thiocyanide, 973.

Herwig, H., the quantity of electricity necessary for the complete charge of a platinum-water-cell and the distance between the molecules of liquid water, 194.

Herzig, J., two new isomerides of cyanuric acid, 517.

Hesse, H., refining copper, 9.

Hesse, O., Alstonia bark, 332.
— amyrin and icacin, 73.
— appendix to the estimation of carbonic acid in the air, 78.
— behaviour of potassium thiocyanate with some of the quinine alkaloids, 281.
— cinchotenicine, 332.
— conquinine sulphate, 656.
— further remarks on *Alstonia constricta*, 269.
— lotur bark, 73.
— on asphalt and other retinalites, 301.
— paricine and aricine, 1043.
— remarks on cinchonine and cinchonidine, 71.
— remarks on Rice's article on the cinchona alkaloids, 71.
— substitutes for quinine, 71.
— test for quinidine, 281.
— test for quinine, 280.

Hessert, J., phthalyl alcohol, 634.

Hétet, F., *Sarracenia purpurea*, 541.

Heumann, K., potassium ultramarine, 692.
— silver ultramarine, 437.

Heyden, F. v., and T. Eckart, preservation of meat, 996.

Higgin, dibenzanilides, 716.

Hilger, A., chemical composition of the soils of the vine-growing districts of the Rhine and Maine, 737.
— composition of "grains" from malt, 761.

Hilger, A., detection of ethyldiacetic acid in urine, 560.
 — mineral constituents of horseradish, 819.
 — solanine and the products of its decomposition, 541.

Hilger, A., and Bischoff, H., colouring-matter of the Caryophyllaceæ, 730.

Hill, H. B., di-substitution-derivatives of acrylic acid, 616.

Hill. See also Bennett, Jackson, and Mabery.

Hille, poisoning of fowls with pumpkin seeds, 1046.

Hillebrand. See Fittig.

Hiortdahl, a new metal discovered by T. Dahil, 890.
 — crystalline form of the stannomethyl compounds and their homologues, 518.

Hiriakoff, M., examination of a meteorite found in the neighbourhood of Berdjansk, 445.

Hirsch, B., investigation of *Balsamum antarcticum indicum*, 262.

Hirsch, R., the so-called dichlorazophenol, 315.

Hittorf, W., proof of the statement that "electrolytes are salts," a reply to L. Bleekrode, 1.

Holzner, G., researches on beer, 1079.

Hönig, M., and M. Rosenfeld, sugars, 449.

Hörmann, J. v., action of hydrocyanic acid on epichlorhydrin, 449.

Hörmann. See also Liebermann.

Hoffmann, E., maringin, 468.

Hoffmann, R., ultramarine, 108.

Hofmann, A. W., action of phosphorus pentachloride on thiocarbimides, 805.
 — angelylthiocarbimide, 712.
 — formation of methyl aldehyde, 219.
 — modified vapour-density determination, 196.
 — piperidine and piperine, 733.

Hofmeister, F., complete precipitation of albumin from animal fluids, 183.
 — regeneration of albumin from peptone, 950.

Holdermann, E., iron albuminates, 170.
 — on hydrochloric acid containing phosphoric acid, 8.

Holliday, J., improvements in dyeing and printing aniline black, 422.

Holloway, J., a new application of rapid oxidation by which sulphides are utilised for fuel, 755.

Hoogewerff, S., and W. A. van Dorp, oxidation of quinine, 946.

Hoogewerff, S., and W. A. van Dorp, oxidation of quinine by potassium permanganate, 541.
 — — oxidation of quinoline, 731.

Hoppe-Seyler, F., lecithin and nuclein in beer-yeast, 811.
 — a simple experiment to show the evolution of oxygen by plants in sunlight, 819.

Horstmann, A., relative affinity of oxygen for carbonic oxide and hydrogen, Part II, 436.

Hübner, H., iodosalicylic acids, 928.
 — nitrosalicylic acids and the isomerism of benzene-derivatives, 380.

Hübner, H., S. M. Babcock, and H. Schaumann, nitrosalicylic acids and dinitrophenol, 928.

Hübner, H., and E. Simon, diethyl- and diamyl-anhydrobenzoyldiamido-benzene compounds, 923.

Hüfner, G., chemistry of the bile, 949.
 — estimation of haemoglobin and oxygen in the blood, 835.
 — estimation of urea by means of sodium hypobromite, 405.

Hummel, J., diphenic acid, 165.

Hurter, F., estimation of cyanogen in soda-lyes, 402.

Husson, C., examination of coffee, tea, and chicory, 558.

Husson. See also Bancel.

Hutchinson, C. C., Schützenberger's process for the volumetric estimation of oxygen in water, 77.

I.

Iles, M. W., and I. Remsen, oxidation of sulphanido-xylene, 52.

Ilgen, O., Solvay's soda used in the preparation of ultramarine, 987.

Ireland, J., Blair's process for iron manufacture, 89.

Isambert, dissociation of ammonium hydrosulphide, 880.

J.

Jackson, C. L., and A. W. Field, parachlorobenzyl chloride and bromide, 62.

Jackson, O. R., and H. B. Hill, mucobromic acid, 224.

Jacobsen, O., constitution of oxy-mesitylenic acid, 248.
 — constitution of the propyl group in cymene, 228.

Jacobsen, O., hydroxyparaxylic acid, 641.
 — isocymene, 624.
 — oxidation of metaxylene-sulphamide, 53.
 — products of the action of fused potash on potassium mesitylenesulphonate, 529.
 — sulphanimemesitylenic acid and a new hydroxymesitylenic acid, 643.
 Jacobsen, O., and E. Weinberg, di-bromometaxylenesulphonic acid, 61.
 Jaffe, M., acids produced by the introduction of chloro- and bromo-benzene into the animal system, 796.
 — synthetic processes in the animal body, 176.
 Jagi, *Paeonia Moutan*, 306.
 Jahn, H., valonia and certain other sources of tannin, 248.
 Jaillard, absorbing power of wood charcoal, 761.
 Jannasch, P., and C. Rump, discovery of vanillin in Siam benzoin, 245.
 Jawein. See Beilstein.
 Jenkins. See Johnson.
 Jeremin, ozone, 8.
 Joclet, V., use of chrome-alum instead of potassium dichromate in wool-dyeing, 185.
 Johanson, E., chemical constituents of the willow, and its pathological formations: certain reactions with tannin and allied substances, 160.
 Johnson, O., test for arsenic, 277.
 Johnson, S. W., and E. H. Jenkins, determination of nitrogen in the analysis of agricultural products, 962.
 — — — determination of phosphoric acid, 966.
 Johnstone, W., analysis of the water of St. Dunstan's well, Melrose, 905.
 Jolly, L., distribution of phosphates in the blood, 662.
 Jones, H. W., amount of ash and soluble matter in the three kinds of Buchu, 391.
 Jonge, D. de, secretion from the sebaceous glands of birds, 176.
 Jordan, P., preparation of manganese-ferous pig-iron, 755.
 Jörgensen, S. M., cobalt-ammonium compounds, 119, 597.
 Joulie, H., retrogradation of superphosphates, 987.
 Jousselin, L., nitrosoguanidine, 613.
 — salts of guanidine, 914.
 Jussieu, F. de, alloys of lead and antimony, 889.
 Just, L., influence of temperature on the germination of seeds, 393.

K.

Kachler, J., Borneo camphor, 1039.
 Kahlbaum, G. W. A., physical properties of some methyl compounds of 3- and 4-carbon acids, 521.
 Kalkowsky, E., the granite-porphyr of Beucha near Leipzig, 27.
 — the leucitophyr of Lake Averno, 609.
 Kallab's new bleaching process for animal textile fibres, 99.
 Kaschirsky, M., action of zinc-methyl on the bromides of monobrominated acid radicles of the α -series, 46.
 Katuzjama, investigation of the seeds of *Camellia Japonica*, 330.
 Keith's process for desilvering and refining raw lead by electrolysis, 288, 410.
 Kelbe, W., hydrocarbon from rosin-oil, 467.
 — naphthyl phosphorus and arsenic compounds, 67.
 Kellermann, C., composition of the growing potato, 174.
 Kellner, O., nitrogenous constituents of young grass and hay, 829.
 — nutritive value of malt, 1049.
 Kelly, O. J., action of chlorocarbonic ether on halogen-compounds of the fatty acid series, 305.
 Kenngott, A., on unghwarite, nontro-nite, gramenite, &c., 31.
 — polydymite, 18.
 — the fundamental forms of crystal species, 14.
 Kern, S., action of sea-water on iron and steel plates, 564.
 — distribution of manganese in ferro-manganese alloys, 286.
 — manganese steel, 567.
 — preparation of chrome crucible steel, 567.
 — purification of cast-iron from phosphorus, 286.
 — steel making, 567.
 — working of mild steel, 410.
 Kernalter, F., on making red wine, 681.
 Kessel, F., bromo-derivatives of ethyl acetate, 137.
 — decomposition of ethyl monobromo- and dibromo-acetate, 220.
 — double salts of cuprous thiosulphate, 124.
 — wax of *Ficus gummiflua*, 261.
 — atomic weight of antimony, 772.
 — estimation of manganese, especially in its alloys with iron, 341.
 — law of multiple proportions, 691.
 Killing, K., the gneiss of the North

Eastern Schwartzwald and its relationship to the mineral veins, 443.
Kinnicut. See *Anschütz*.
Kirchner, W. J., and *Du Roi*, beet leaves as fodder for cows, 813.
Kirmis, M., transference of the ions, 193.
Kjedal, J., rotatory power of beer worts, 993.
Kleemann, spent hops as fodder, 1050.
Klein, L., estimation of carbon in cast-iron, 401.
Klein, O., compounds of organic bases with mercuric chloride, 231.
Klein, P., diaspore from Jordansmühl, 603.
 — manganosite from Langban, Sweden, 605.
Klein. See also *Pinner*.
Kleinschmidt. See *Staedel*.
Kleuze. See *Eugling*.
Klien, chromium garnet in Silesia, 361.
 — catlinite, 361.
 — fluorite from Evigtok in Greenland, 511.
Klinger. See *Berntsen*.
Klipstein, v., the nepheline rock of Meiches in the Odenwald, 607.
Klocke, F., the "etch figures" produced on the alums, 439.
Knoch. See *Otto*.
Knop, W., diabase from Berneck, 443.
 — the greenstone soil of Berneck, 824.
Knott. See *Otto*.
Koch, A., adular from Verespatak, 359.
 — colouring matter containing sulphur derived from dimethylparaphenylenediamine, 628.
 — pseudobrookite and szaboite, new minerals, 441.
Koch, K. R., changes in the surface of platinum and palladium produced by oxygen-polarisation, 1005.
Koch, method of photographing bacteria, 1046.
Köbig, J., constituents of Roman chamomile oil, 454.
Köhler, H., action of ammonium sulphate on barium ethylsulphate, 137.
 — decomposition of ethylsulphates by gaseous hydrochloric acid, 137.
 — ethereal oils of some Ericaceæ, 641.
 — formation of ethylamine, 219.
 — mercuric chloride, 1017.
 — mercuric iodide, 602, 889.
 — substituted nitrogen chlorides, 780.
Koenig, G., ankerite from Phœnixville, 604.
 — simultaneous occurrence of grossular, zoisite, stilbite, and leidyite, 606.
König, D., decomposition of bones by steam, 987.
König, G. A., chromometry, an application of the blowpipe to quantitative analysis, 740.
König, H., action of hydrocyanic and hydrochloric acids on ethyl methyl-acetoacetate, 706.
Koenigs, W., action of fuming nitric acid and of nitrous acid on benzene-sulphuric acid, 314.
 — nitrochinoline, 540.
 — oxidation of cinchonine quinoline by potassium permanganate, 731.
 — oxidation-products of cinchonine, 471.
 — synthesis of chinoline from allyl-aniline, 540.
Köppen, E. v., physical and chemical changes which specular iron undergoes when smelted in the cupola furnace, 840.
Körner, H., paradipropylbenzene and its derivatives, 142.
Koettstorfer, J., new method for detecting foreign fats in butter, 983, 1069.
Kohn, S., decomposition-products of albuminoïds, 389.
Konigel-Weisberg, J., action of chlorine on barium hydrate, 505.
 — action of chlorine on strontia, 596.
Kopp, H., acids obtained by the saponification of Roman chamomile-oil, 454.
 — determination of atomic weights and the use of isomorphism for the same, 769.
Korschelt, saki, the alcoholie drink of the Japanese, 413.
Kossel, A., chemical composition of peptones, 811.
Krämer, G., and M. Grodzki, the acids of wood vinegar and their connection with the so-called wood oils, 43.
Krafft, F., conversion of undecylenic acid into undecylic acid, 306.
Krandauer, analysis of waters for brewing, 1078.
Krandauer. See also *Lintner*.
Krauch. See *Mutschler*.
Krause, A., paraphenylenediamine, 462.
Krause, H., and G. Salomon, formation of xanthine derivatives from albumin, 471.
Kraut, K., mercuric iodide, 772.
Kressner. See *Dietzell*.
Kriloff. See *Flavitzky*.
Kühnemann, G., constituents of hops, 171.
Kurbatow. See *Beilstein*.

L.

Labhardt, E., nitration of bromonaphthalene, 721.
 Lachmann, G., tolylthiocarbimide, 935.
 La Coste, W., and A. Michaelis, mono- and di-phenyl compounds of arsenic, 161.
 —— monotolyl compounds of arsenic, 163.
 —— triphenylarsine and its derivatives, 162.
 Ladenburg, A., artificial atropine, 733.
 —— derivatives of tropic acid, 720.
 —— di-isobutylamine, 703.
 —— experimental determination of position, 232.
 —— simple method for preparing aldehydines, 233.
 —— tropidine, 733.
 Ladenburg, A., and T. Engelbrecht, some phenylaldehydines, 234.
 Ladenburg, A., and L. Rügheimer, orthotolylenediamine derivatives, 715.
 —— the aldehydines, 233.
 Ladureau, A., influence of the time of manuring in the beet cultivation, 825.
 —— nitrates in sugar beets, 826.
 Lagermark, G., synthesis of tetrolic acid, 782.
 Lagermark, G., and A. Eltekoff, action of sulphuric acid on acetylene, 780.
 Laiblin, R., nicotine and nicotinic acid, 808.
 Lamansky, S., Stokes's law, 862.
 Land, O., garnet from the erratic gneiss of Weller, near Bremen, 361.
 Landauer, J., absorption spectra, 101.
 Landgrebe, O., cyanoguanidine, 53.
 —— oxidation of ditolylparabanic acid, 62.
 Landolph, F. H., action of boron fluoride on acetone, 914.
 Landshoff. See Tiemann.
 Lang, C., heat-capacity of soils, 958.
 Langbein, G., South American salt-petre, 1073.
 Lange, A., diphenylthiohydantoïn, 651.
 Lapper. See Bell.
 Lasaulx, A. v., an intergrowth of two micas from Middletown, Connecticut, 363.
 —— crystal system of tridymite, 358.
 —— iodobromite, a new silver haloïd, 365.
 —— optical properties and crystal form of tridymite, 605.
 —— saccharite, 360.
 Lasaulx, H. v., breislakite, 206.
 Latschinoff, P., oxidation of cholic acid, 810.
 —— some neutral oxidation-products of cholesterol, 135.
 Laufer, E., behaviour of quartz with microcosmic salt, 79.
 Laugier, E., analysis of raw sugars, 404.
 —— determination of free acids in oils, 406.
 Lauterbach, P., nitration of derivatives of the paraffins, 700.
 Lavender, R., improvements in treating waste sulphuric acid that has been used for pickling iron plates, and other articles of iron or steel, 423.
 Lawrence, R., and C. W. Reilly, analysis of Burton ales and Dublin porter, 344.
 Lebaigue, E., apparatus for continual dialysis, 347.
 Le Bel, J. A., dextrogyrate amyl alcohol, 369.
 —— limit of the separation of alcohol from water, 703.
 —— methylpropyl carbinol prepared by synthesis, 1029.
 Le Bel and Greene, action of zinc chloride on methyl alcohol; hexmethylbenzene, 49.
 —— —— action of zinc chloride on normal butyl alcohol, 1029.
 Lechartier, G., action of potassium pyrogallol on nitric oxide, 1012.
 —— estimation of organic matter in natural waters, 976.
 —— preservation of green fodder in pits, 1049.
 Le Chatelier. See Mallard.
 Lecher, E., heat capacity of mixtures of methyl alcohol and water, 688.
 Leclanché, an improvement of the peroxide of manganese battery, 1.
 Leclerc, A., nutritive value of seed-bearing beet-root, 822.
 Leeds, A. R., action of potassium permanganate on oxalic acid, 353.
 —— alteration of standard ammonium chloride solution when kept in the dark, 400.
 —— ammonium nitrate and the bye-products obtained in the ozonisation of air by moist phosphorus, 881.
 —— detection and estimation of nitrous acid in potable waters, acids, &c., 964.
 —— estimation of nitrates in very dilute solution, 1062.
 Lefort, J., tritungstates, 600.
 —— tungstates of the earthy and metallic sesquioxides, 355.
 Lehmann, A., constitution of ultramarine, 204.

Lenz, W., fluorbenzenesulphonic acid and the melting points of substituted benzenesulphonic acids, 649.

Lepel, B. F. v., new universal stand for use with the pocket spectroscope, 574.

Lepel, F. v., adulteration of wine, 82.

Lescœur, H., and A. Rigaut, solid cyanogen hydride, 1028.

Letts, E. A., some bismuth residues, 355.

Lévy. See Fouqué.

Lewin, L., spongy iron and animal charcoal as materials for purifying water, 343.

Lewis. See Storer.

L'Hote, L., process for enriching phosphates containing earthy carbonates, 490.

Lieben, A., density of chlorine at high temperatures, 1011.

Lieben, A., and L. Zeisel, croton aldehyde and its homologues, 615.

Liebermann, C., anthracene derivatives of the chrysazin series, 537.

— reduction of anthraquinone-sulphonic acids, 537.

— synthesis of anthrarufin and chrysazin from anthracene, 260.

Liebermann, C., and K. Boeck, anthracene-disulphonic acid and its conversion into anthrarufin, 257.

Liebermann, C., and J. Dehust, constitution of anthrarufin and oxyanthrarufin, 942.

Liebermann, C., and S. Hamburger, formulæ of quercitrin and quercetin, 944.

Liebermann, C., and O. Hörmann, anthrol, 653.

— — formulae of rhamnetin and xanthorhamnin, 271.

— — glucoside of buckthorn-berry and rhamnoglucide, 39.

Liebermann, C., and P. Seidler, chrysarobin in "Goa powder," 326.

Liebermann, L., gas evolved by the action of barium hydrate on albuminoïds, 735.

Liebisch, T., mineralogical-petrographical notes on the granite-porphyr of Lower Silesia, 29.

— occurrence of disthene in Central Africa, 24.

— some syenite-porphyrries of Southwest Norway, 362.

Liebscher, Briem, and R. Burger, exhaustion of the soil by beet-root cultivation, 1050.

Lindo, D., analysis of caoutchouc, 559.

Link, A., and R. Mockett, on the deliciacy of some reactions for hydrocyanic acid, 403.

Linnossier. See Chapuis.

Lintner, C., Krandauer, and Treiber, effect of artificially manured barley on the composition of the wort, 959.

Lippmann, E., and J. Hawliczek, eikosylene, a derivative of lignite paraffin, 447.

— — eikosylene, a derivative of brown-coal paraffin, 699.

Lippmann, E., and W. Strecker, amylidene-aniline, 462, 714.

— — nitrocuminal and its derivatives, 464.

Lippmann, E., and G. Vortmann, compounds of cobalt and nickel chlorides with anilines, 461.

Lippmann. See also Fittig.

List, K., magnetic compounds having the formula $\text{RO}.\text{Fe}_2\text{O}_3$, 13.

Livache, A., abnormal solubility of certain bodies in soaps and alkaline resins, 99.

Lockyer, J. N., recent researches in solar chemistry, 425.

— — researches on spectra, 575.

Lösecke, A. v., formation of ammonium nitrate, 298.

Lösekann, G., action of sulphuretted hydrogen on alkaline solutions of alumina, 437.

Loew, O., detection of lecithin, 835.

— — oxidation of albumin by the oxygen of the air, 389.

— — source of hippuric acid in the urine of herbivorous animals, 952.

Löwig, G. and F., preparation of alkaline aluminaates, 491.

— — — preparation of alumina, 490.

Loir, chemical functions of acetic anhydride, 621.

Long, H., action of alcoholic potash on bromoform, 126.

Longuinine, W., thermic effect of substitutions, 871.

Lorenz. See Sonntag.

Lorin, M., preliminary study of the action of acids on salts without the intervention of a solvent, 689.

Losanitch, S. M., action of potash on tetrinitrotriphenyl carbamide, 67.

Luca, S. de, a thread-like substance found in the excavations of Pompeii, 680.

— presence of lithium in the earths and water of the Solfatara at Pozzuoli, 33.

— splitting up of cyclamin into glucose and mannite, 70.

Lüba win, N., nuclein from cows' milk, 735.

Luginin, W., influence of substitution

on the evolution of heat during formation of salts, 767.
 Lugwig, E., milarite, 358.
 Lunge, G., antichlor, 676.
 — application of Witt's tropæoline to titration, 176.
 — behaviour of the nitrogen acids with sulphuric acid, 770.
 — estimation of nitrous and nitric acids, 79.
 — existence of nitrous anhydride in the gaseous state, 502.
 — preparation of nitrous acid, 200.
 — resin-sizing of paper, 994.
 — soda industry, 677, 751.
 — the amount of sulphuric acid in wines, 762.

M.

Mabery, C. J., and H. B. Hill, dimethyluric acid, 48.
 Macadam, W. I., composition of a nodule of ozokerite found at Kinghornness, 1020.
 Macagno, J., action of the ferment of sour wine on good wine, 817.
 Mach, E., experiments of the fining of wine, 1078.
 Maclear, J., improvements in the manufacture of soda and potash, 422.
 — loss of nitre in the vitriol manufacture, 838.
 Mader, C., apple and pear wine, 1078.
 Maercker, M., gravimetric estimation of dextrose by means of an alkaline copper solution, 180.
 Magatti, G., action of sulphuric anhydride on phenylthiocarbimide, 312.
 Maillet, E., aniline-derivatives of sebacic acid, 376.
 Mallard, E., bravasite, a new mineral, 442.
 Mallard and Le Chatelier, detection of marsh-gas in the air of mines, 673.
 Mallet, J. W., barcenite, a new antimonate from Huitzoco, Mexico, 1022.
 — nitrogen iodide, 882.
 Maly, R., nitrosothiohydantoïn, 712.
 Mandelin, A. F., quinine citrate, 1043.
 Manetti, L., and G. Musso, composition of skimmed whey, 856.
 Mann, C., new volumetric method for estimating zinc, 1054.
 Manoury. See Steffens.
 Marcano, V., and A. Muntz, utilisation of the banana, 568.
 Marchand, E., milk from cows of different races, 749.

Marignac, C., on the discovery of a new earth announced by J. L. Smith, 12.
 — the gadolinite earths, 113.
 — ytterbium, a new metal from gadolinite, 118.
 Markl, A., artificial yeast for molasses distilleries, 1078.
 Martin, G., a Japanese cinnamon bark, 320.
 — constituents of *Ligustrum Ibotu*, 330.
 — *Erodia glauca*, 333.
 — *Scopotia japonica*, 333.
 Maskelyne, N. S., artificial diopside formed in a Bessemer converter, 513.
 — enstatite from South Africa, 513.
 Massenbach, V., experiments with artificial manures, 958, 1050.
 Matejczek. See Steffens.
 Matthay, F., decomposition of lead sulphate by sodium chloride, 124.
 Matthey, G., preparation of iridio-platinum, 772.
 Maumené, E., composition of slate, 1024.
 Mauro, F., the spinelle of Tiriolo, in Calabria, 694.
 Mazzara. See Paternò.
 Medicus, L., and E. Schwalb, estimation of starch in sausages, 979.
 Méhu, C., estimation of urea, 985.
 — Marchand's method of determining the butter in milk, 675.
 Meldola, R., a cause for the appearance of bright lines in the solar spectrum, 574.
 — naphthalene derivatives, 165.
 Melikoff. See Werigo.
 Menke, A. E., reactions of iodine and of potassium iodide with sulphurous acid, 352.
 Menozzi. See Murro.
 Menschutkin, N., etherification of primary alcohols, 36.
 — etherification of secondary alcohols, 214.
 — etherification of tertiary alcohols and phenols, 215.
 Merz, V., and W. Weith, action of bromine on the higher paraffins, 302.
 — — action of bromine on the lower paraffins, 302.
 Merz., V., and G. Zetter, preparation of trinitroresorcinol and trinitroorcinol, 717.
 Merz. See also Diehl.
 Meulen (B. van der). A new copper nitrite, 693.
 Meunier, S., artificial production of native carburetted iron, 693.

Meunier, S., metallic granules of sporadisidereal meteorites, 609.

Meyer, A., absorption-spectra of solutions of brucine, morphine, strychnine, veratrine, and santonine in concentrated acids, 269.

Meyer, C. and V., vapour-densities of some inorganic bodies, 579.

Meyer, E. v., some new platinum compounds: fulminoplatinums, 373.

Meyer, F., preparation of large regular crystals, 352.

Meyer, G., action of carbonic anhydride on certain cyanides, 303.

Meyer, L., purification of mercury, 602.

Meyer, O., the rock of the St. Gothard tunnel, 366.

— twin zircon crystals, 363.

Meyer, R., derivatives of hydroxypropylbenzoic acid, 795.

— hydroxylation by direct oxidation, 139.

— the mineral spring of "Tenniger Bad," Somvaer, Tobel, Grisons, 33.

Meyer, R., and J. Rosicki, hydroxypropylbenzoic acid, 157, 465.

Meyer, V., determination of vapour-density, 177.

— occurrence of furfural in glacial acetic acid, 137.

Meyer, V. and C., determination of vapour-densities of substances which attack mercury, or which boil above 440°, 294.

— vapour-densities of some inorganic compounds, 875.

— vapour-densities of some metallic chlorides, 1013.

— vapour-density determinations of inorganic bodies at high temperatures, 766.

Michael, A., synthesis of phenol glucoside and of orthoformyl glucoside or helicin, 1038.

Michael. See also Gabriel.

Michaelis, A., a homologue of phosphoryl chloride, 721.

Michaelis, A., and F. Dittler, reactions of phenylphosphine, 528.

Michaelis. See also La Coste.

Michler, W., and G. Blattner, nitration of benzenesulphanilide, 922.

Michler, W., and E. Exherich, polysubstituted carbamides, 934.

Michler, W., and G. Moro, action of sulphonochlorides on amines, 920.

Michler, W., and R. Zimmermann, polysubstituted carbamides, 935.

Mikosch, C., origin of chlorophyll granules, 174.

Millardet. See Gayon.

Miller, H. v., malonic acid, 917.

Miller, W. v., angelic acids of different origin, 45.

— dimethylacrylic acid, 307.

Millot, A., insoluble phosphoric acid in superphosphate, 1052.

Mills, E. J., researches in thermometry, 588.

Millis, E. J., and J. J. Smith, researches on chemical equivalents, 876.

Miquel, P., a new organised ferment, 817.

— presence of an alcoholic ferment in the air, 394.

— the succinic fermentation, 394.

Mitscherlich, on new phenomena shown by gases, 587.

Mittenzwey. See Schmitt.

Mockel. See Link.

Möe. See Zetter.

Möhla, R., orthodiamidodiphenethole, 939.

Möhla. See also Schmitt.

Moeller, J., fibrous materials, 859.

Mörner, K. A. H., alkali-albuminate and syntoinin, 489.

Mohr, F., material for standard weights and measures, 102.

— nature of cohesion and its chemical signification, 579.

Moissan, H., amalgams of chromium, iron, manganese, nickel, and cobalt, 693.

— iron reduced by hydrogen, 887.

Moitessier. See Engel.

Monnet, F., F. Reverdin, and E. Nölting, influence of metatoluidine in the preparation of rosaniline, 625.

— methylated derivatives of aniline and toluidine, and the colour obtained therefrom, 310.

— presence of metanitrotoluene in commercial nitrotoluene, 625.

Montgolfier, J. de, derivatives of terephthene, 328.

— isomeride of borneol, 944.

— terephthene dihydrochloride, 944.

— transformation of camphic acid into camphor, 726.

Moore, G. E., hetaerolite, a new mineral, 17.

Morawski, T., citramalic acid, 707.

Morawski, T., and J. Stingl, modification of Bunsen's method of manganese determination, 278.

— potassium permanganate and its oxidation-products, 204.

— volumetric estimation of manganese, 277.

Morawski. See also Stingl.

Morgan, T. M., composition of a well-water at Grouville, 1072.

Morley. See Claisen.
Moro. See Michler.
Morton, H., chronology of the isomeric purpurins, 943.
Moser, J., cultivation and preservation of maize, 960.
 —— cultivation of dhurra or sorgho grass, 823.
 —— potassium salts as a manure, 826.
Mott, H. A., American baking powders and alum, 107.
Motten, action of heat on sugar and sugar solutions, 911.
Mrowec, S., carbon bisulphide manufacture in Swoszowice, and its use for the extraction of sulphur, 837.
Mühlhäuser. See Hell.
Müller, F. C. G., gases in iron and steel, 437.
 —— the Bessemer process, 566.
Müller, H., and C. Pauly, preparation of potassium nitrite, 595.
Müller, P., and Hauer, remarks on beer fermentation, 1079.
Müller-Jacobs, A., mordant for Turkey-red dyeing, 187.
Müntz, A., ripening of rye, 337.
Mulder, E., synthesis of dimethylbarbituric acid, 618.
Mulder, E., and G. J. W. Bremer, action of chlorine monoxide on ethylene, 303.
Muller, F. H. S., and F. Wiesinger, preparation of sulpho-compounds from diazo-compounds, 933.
Munier. See Hecht.
Muntz. See Marcano.
Murro, G., and A. Menozzi, formation of fat from casein in the ripening of cheese, 996.
Musculus, F., modifications of the physical properties of starch, 518.
Musculus, F., and J. de Mering, action of diastase, saliva, and pancreatic juice on starch and glucose, 370.
Musso. See Manetti.
Mustapha, I., active principle of *Ammi visnaya*, 1040.
Mutschler, L., and C. Krauch, composition of candle nut, 957.

N.

Narr, F., behaviour of electric currents in rarefied gases, 345.
Naumann, A., density and decomposition of nitric acid, 195.
 —— dissociation of chloral hydrate, 690.

Nencki, M., relation of oxygen to the life of the microzoa, 953.
Nencki, M., and P. Giacosa, existence of bacteria or their germs in the healthy organs of animals, 1046.
Nencki, M., and F. Schaffer, action of chloral hydrate on ammonium thiocyanate, 306.
Nencki, M., and N. Sieber, new synthesis of glycoxyamine, 70.
Nessler, J., pressing of red wine, 681.
 —— detection of free tartaric acid, and of sulphuric acid, in wine, 981.
Neubauer, C., detection of wines adulterated with grape-sugar, 82.
Neubauer, C., and E. Borgmann, estimation of glycerin in wine, 401.
Newlands. See Duncan.
Niederist, G., action of water on the haloid compounds of alcohol-radicles, 700.
Nietzki, R., derivatives of quinol (hydroquinone), 464.
Nikolsky. See Saytzeff.
Nilson, L. F., criticism on Bunsen's older method for separating arsenic from antimony, 1058.
 —— scandium, 691.
 —— ytterbia, 601.
Noble and Abel, combustion of gunpowder, 992.
Nöltung. See Monnet.
Nordinškiöld, A. E., a new species of mineral, thaumasite, 21.
 —— mineralogical notes, 364.
 —— some minerals from Laangban, 21.

O.

Odermatt, W., formation of phenol from putrefying albuminoïd matters, 1037.
Ogier, J., liquefaction of silicium hydride, 436.
 —— measurement of the heat developed in the formation of hydrogen phosphides and arsenides, 5.
 —— thermic formation of silicon hydride, 767.
 —— thermic researches on silicie ether, 767.
Oglialoro, A., characteristic reactions of picrotoxin and of some of its derivatives, 748.
 —— phenylcinnamic acid, 640.
 —— preliminary notice on *Teucrium fruticans*, 728.
Oglialoro. See also Paterud.
Orth, A., constancy and variation in the composition of the soil, 666.

Ost, H., pyromeconic acid, 307, 708.
 Ostwald, W., chemical affinity, 348.
 Ott, A., heliographic printing, 750.
 —— on the preparation of paper for pigment or carbon photography, 560.
 —— photolithography, 836.
 Otto, R., constitution of sulphotoluide, 926.
 —— preparation of sulphuretted hydrogen for chemico-legal investigations, 671.
 —— sulphonic acids derived from sulphones, 649.
 Otto, R., and O. Knoch, competitive cultivation of grass seeds, 824.
 Otto, R., and A. Knott, action of sulphuric monochloride on sulphonbenzide, 243.
 Otto. See also Beckurt and Pauley.
 Oudemans, A. C., quinamine, 1044.

P.

Paalzow, A., the oxygen spectrum and luminous appearances of rarefied gases in tubes with liquid electrodes, 861.
 Pabst. See Girard.
 Pagenstecher, A., angelic and tiglic acids, 455.
 Pagliani, S., naphthylcarbamides, 723.
 —— reaction of salicylic acid with ferric salts, 748.
 Paijkull, S. R., mineralogical notices, 31.
 Palmer. See Richards.
 Panebianco, R., dimorphism of 1 : 4 acetotoluide, 626.
 Patera, A., obtaining vanadium from the uranium ore of Joachimsthal, 989.
 Paternò, E., constitution of cumic compounds and of cymene, 308.
 —— propylbenzoic acid, 321.
 Paternò, E., and G. Mazzara, benzylated cresol, 314.
 —— —— cumolcarboxylic acid, 642.
 —— —— thermal water of Termini Imerese, 698.
 Paternò, E., and A. Oglialoro, picrotoxin, 729.
 —— —— supposed identity of columbin and limonin, 730.
 Pauley, C., and R. Otto, decomposition of ethyl disulphoxide by potash, 219.
 —— —— disulphoxides of benzene and toluene, 243.
 Pauly. See Müller.
 Pavý, F. W., volumetric estimation of sugar, 557.

Pawlów, D., tetramethylethylene and its derivatives, 536.
 Pebal, L., action of hypochlorous acid on ethylene, 446.
 Pechiney, A. R., preparation of anhydrous sodium sulphate from Glauber salt, 596.
 Peckham, S. F., composition of the ashes of wheat bran, 961.
 —— determination of specific gravities, 498.
 —— explosion of the flour mills at Minneapolis, Minnesota, 1079.
 Pedersen, R., influence of temperature on the evolution of carbonic anhydride by barley seeds, 1048.
 Peirce, B. O., the electromotive power of gas elements, 998.
 Pellet, H. P., ratio of the sugar in the beet to the phosphoric acid in the root and leaves, 818.
 Penfield, S. L., chemical composition of triphyllite, 695.
 —— volumetric estimation of fluorine, 829.
 Penney, M. D., alum in flour and bread, 556.
 Perger, v., derivatives of anthraquinone, 253.
 —— α-diamidoanthraquinone, 724.
 Perkins, F. P., analysis of butter fat, 1070.
 Perry, N. W., platinum-alloy assay, 555.
 Petermann, A., carrot seed, 822.
 Petit, A., a new alkaloid, 658.
 Petri, R., chondrin, 661.
 Petri, J., detection of blighted wheat in flour by the spectroscope, 977.
 Petri, C., fumaric and maleic acids, 372.
 Pfaundler, L., vapour-density determinations at high temperatures of substances which attack mercury, 499.
 Pfeiffer, E., estimation of nitric acid by potassium dichromate, 399.
 —— oxalic acid not poisonous, 335.
 —— separation of the alkaline earths from the alkalis, 341.
 —— tetrathionic and pentathionic acids, 1013.
 Philipp, G. H., green and blue ultramarine, 108.
 Phipson, T. L., colouring matter of *Palmella cruenta*, 1042.
 —— water from the river Dart, 906.
 Picard, P., albuminoid compounds of the organs, and of the spleen in particular, 175.
 —— Bernard's method for the estimation of glucose in blood, 674.

Picard, P., researches on the urea contained in the organs, 175.
 Piccard, J., cantharic acid and a hydrocarbon, C_8H_{12} , 270.
 — derivatives of cantharadin and their relation to the ortho-series, 655.
 Piccini. See Fileti.
 Pichard, alkaline reaction of free, mixed, and combined magnesium carbonates and silicates, 298.
 Pickering, S., ammonium nitrate, 200.
 Pictet, R., study of the molecular constitution of liquids by means of their coefficient of dilatation, specific heat, and atomic weight, 875.
 Pierre, J., oiling of corn, 822.
 Pierre, J., and E. Puchot, products of distillation of alcohols, 612.
 Pillitz, W., analysis of the Zsadányer meteorite, 397.
 Pilter, T., artificial animal charcoal, 844.
 — decomposition of phosphatic minerals, 839.
 Pinner, A., and F. Klein, butylchloral hydrocyanide, 41.
 — — conversion of nitriles into imides, 46.
 — — imido-thio-ethers, 147.
 Pirath. See Wallach.
 Pisani, F., double selenides of lead and copper, 440.
 — — wagnerite from Bamle, in Norway : Russian retinite, 441.
 Planta-Reichenau, A. v., the mineral springs of Passugg, Solis, and Tiefenkasten, in the Grisons, Switzerland, 126.
 Playfair, D., note on the detection of some rare metals in pyrites flue dust, 973.
 Plugge, P., decomposition of mercuric cyanide by dilute acids alone and in presence of sodium chloride, 1064.
 Pohl, J. J., a method of detecting the difference between natural and artificial turquoise, 209.
 Poincaré, L., danger of employing methyl alcohol in certain industries, 335.
 Pokorny, F., purification of beet-root syrup, 844.
 Poleck and Biebel, quantitative determination of sulphur in illuminating gas, 78.
 Pollacei, E., plastering of wine, 681, 762.
 Ponomareff, J., allantoxanic acid, 226.
 — compounds of the uric acid group, 461.
 — some derivatives of allantoin, 228.
 Popper, R., quantitative determination of precipitates without filtering, washing, and drying, 480.
 Portelet, R., influence of heat on the ripening of grapes, 1047.
 Porro, B., composition of grapes at different stages of ripeness, 820.
 Porver, F. B., mineral water of Rosheim, in Alsace, 698.
 Posen, E., amidohydro-cinnamic acid (phenylamino-propionic acid), 378.
 Potilitzin, A., action of chlorine on anhydrous metallic bromides, 770.
 — — action of selenium on metallic sulphides, 771.
 Pott, R., researches on the chemical changes in the fowl's egg during incubation, 474.
 Praetorius, H., nitration of benzophenone, benzhydrol, and diphenylmethane, 319.
 Prætorius-Seidler, G., reactions of cyanamide, 910.
 Precht, H., composition of the combustible gases in the Stassfurt potash mines, 603.
 — — volumetric estimation of magnesium, 1053.
 Preis, K., and B. Raymann, action of iodine on aromatic compounds with long side-chains, 623.
 — — — cholesterol, 634.
 Preuse. See Baumann.
 Price, A. P., improvement in the preparation and treatment of saccharine substances and compounds, 423.
 Procter, H. R., determination of free acid in tar liquors, 980.
 — — explosive product of solution of phosphorus in carbon bisulphide, 996.
 — — Weselsky's reaction for phloroglucin, 979.
 Prunier, L., hydrocarbons from American petroleum, 447.
 — — quercite, 239.
 — — solubility of cinchonine and estimation of cinchona barks, 489.
 — — unsaturated hydrocarbons from the decomposition of American petroleum, 1025.
 Prunier, L., and R. David, crystalline products obtained from Pennsylvanian petroleum, 309.
 Puchot. See Pierre.
 Pusch, Böhr's colorimetric process for the examination of drinking water, 558.
 Puschl, C., sketch of the actinic theory of heat, 687.

Q.

Quincke, G., formation of emulsion and the influence of the bile on digestion, 549.

R.

Rabuteau, L., alcohols in potato fusel oil, 36.

Raepper, W. T., on a pseudomorph after anorthite, from Franklin, New Jersey, 1022.

Raetz, T., enamel for cast- and wrought-iron, 755.

Ramdohr, L., superheated steam, 838.

Ramme, G., phosphorus sulphides, 691, 883.

Rammelsberg, C., behaviour of silicates containing fluorine, especially topaz and mica, at high temperatures, 772.

— determination of lithium, 830.

Rampe, H., poison for field mice, 1051.

Ramsay, W., on picoline and its derivatives, 262.

Raoult, F. M., vapour-tension and solidifying point of saline solutions, 4.

Rath, G. v., crystals of amazon-stone (microlime) from Pikes Peak, Colorado, 515.

Rathke, B., action of phenyl-thiocarbimide on diphenylguanidine, 804.

— aromatic thiocarbamides, 804.

— diguanidine, 781.

— phenylthiocarbamic acid, 54.

— sulphuretted dicyanodiamine, 41.

Rauff, H., chemical composition of nepheline, cancrinite, and microsomite, 606.

Raymann. See Preis.

Reboul, diallyl-acetic acid, 372.

— ethylenid chlorobromide, 369.

— isomerism in the propyl series, 127.

Reichenberg, V., heat-absorption attending the solution of potassium chloride in water, 588.

Regnault, J., chloroform as an anaesthetic, 747.

Reichardt, E., a boron mineral from Chili, 19.

— analysis of the water of the mineral spring at Suhl, 516.

— detection of chloroform, 280.

— distribution of fungus, 479.

— uran-pecherz from Joachimsthal, 18.

Reichert, E., simplification of Hehner's method of testing butter, 406.

Reilly. See Lawrence.

Reimann, M., chrome-black on wool, 572.

— valuation of body colours, 179.

Reimer. See Tiemann.

Reiset, J., the proportion of carbonic anhydride in the air, 744.

Remsen, I., oxidation of xylene-sulphamides, 248.

Remsen. See also Fahlberg and Iles.

Renouard, A., analysis of silk cocoons, 952.

Renoul. See Urbain.

Reverdin. See Monnet.

Reynolds, J. E., sugar as a test of the purity of water, 1062.

Riban, J., compounds of hydrogen phosphide with cuprous chloride, and its estimation in gaseous mixtures, 503.

Richards, E. S., and A. W. Palmer, antimony tannate, 933.

Riche, A., action of light on silver chloride, 694.

Riche, C., conditions of lactic fermentation, 663.

Richter, V. v., action of phosphorus pentachloride on ethyl oxalate, 138.

Rieckmann, R., constitution of ultramarine, 203, 1014.

Rieckmann, J. P., manufacture of ammonia, 496.

Riecke, E., the electromotive power of a Grove's element in terms of Siemens-Weber units, 998.

Riessmüller, L., and N. Wiesinger, conversion of rags and hair into manure, 859.

Rigaut. See Lescour.

Rilliet. See Ador.

Rinne, A., ultramarine, 885.

Riobanine and A. Saytzeff, diallyl-isopropylcarbinol, 612.

Ritter, A., the "temperature surface" of carbonic acid, 195.

Ritter. See also Cloüet.

Ritthausen, H., albuminoïds from castor-oil seeds, 390.

Roberts. See Gerland.

Rodewald, H., and R. Tollens, reduction of cupric oxide by milk-sugar, 217.

Rodwell, G. F., and H. M. Elder, effect of heat on mercury di-iodide, 498.

Roemer. See Schunck.

Rössler, C., estimation of manganese, 746.

Rössler. See also Gerichten.

Rollet, A., determination of sulphur in the ore, in the fuel, and in the products of the iron industry, 974.

Rosenfeld, M., cuprous chloride, 693.

Rosenfeld. See also Hönig.
 Rosenstiehl, A., absorption spectrum of alizarin and of some colouring matters derived from it, 807.
 —— anthraflavone and anthraxanthic acid, 388.
 —— constitution of the rosanilines, 463.
 Rosicki. See Meyer.
 Rouville, P. de, natural crystals of magnesium sulphate (epsomite) of large size, 358.
 Rudneff, W., action of iodine on thiocarbamides, 48.
 —— amides of tertiary hydrocarbon radicles, 713.
 —— trimethylcarbamine, 40, 141.
 Rudolph, C., benzylamine, 921.
 —— derivatives of orthonitraniline, 921.
 Rüdorff, F., determination of the specific gravity of powdered substances, 669.
 Rügheimer. See Ladenburg.
 Ruffle, J., estimation of nitrogen, 961.
 Rump. See Jannasch.
 Ruoff. See Zetter.
 Rush, W. B., copaibic acid, 1038.
 Russell, J. C., occurrence of a solid hydrocarbon in the eruptive rocks of New Jersey, U.S.A., 896.

S.

Saarbach, L., phenoxypropionic acid, 642.
 Sabatier, P., thermochemical study of the alkaline sulphides, 865.
 —— thermochemical study of dissolved alkaline sulphides, 866.
 Sabine, R., motions produced by dilute acids on some amalgam surfaces, 431.
 Sachtleben. See Schmidt.
 St. Claire-Deville, H., density of the vapour of ammonium dihydrosulphide, 880.
 St. Meunier, artificial crystallisation of orthose, 359.
 Salkowski, E., behaviour of ammonium chloride in the organism, and estimation of chlorine in urine, 830.
 —— compounds of grape-sugar with cupric hydrate, 778.
 —— pancreatic digestion, 814.
 Salkowski, E. and H., formation of hydrocinnamic acid by means of pancreas ferment, 465.
 —— physiological relations of phenylacetic and phenylpropionic acid, 662.
 Salkowski, H., behaviour of metanitranisoil towards ammonia, 528.
 —— products of the fermentation of albuminooids, 659.
 Salomon, G., occurrence and origin of hypoxanthine and lactic acid in the animal body, 176.
 Salomon. See also Krause.
 Salzer, T., hypophosphoric acid and its salts, 105.
 Sandberger, F., occurrence of tin in silicates, 608.
 Santos, J. R., analysis of lamp-black made from the natural hydrocarbon gas of the Ohio petroleum region, 97.
 Sarauw, action of acetic anhydride and sodium acetate on quinone, 718.
 Sarrau and Vieille, decomposition of gun cotton in a closed vessel, 991.
 Sauer. See Staedel.
 Saytzeff, A., action of dilute sulphuric acid on allyldimethyl carbinol, 447.
 Saytzeff, A. and P., preparation of di-propylallyl carbinol, 136.
 Saytzeff, A. and P., and A. Nikolsky, action of sulphuric acid on allyldimethyl- and allyldipropyl-carbinol, 214.
 Saytzeff, A., and Schirokoff, diethylallylcarbinol, 214.
 Saytzeff. See also Riobinine, Semianitizine, and Schirokoff.
 Schaer, E., decomposition of the haloid salts of mercury, 694.
 Schaffer. See Nencki.
 Schaffert, F., experiments on manuring, 1050.
 Schalfeeff, melissic acid, 782.
 Schall, C., the hydroxytolic acids from the three isomeric cresols, 791.
 Schaumann, N., paraxylyidine, 51.
 Schaumann. See also Hübner.
 Schering, E., lead in potassium iodide, 504.
 —— manufacture of potassium iodide, 504.
 Schertel, A., grey modification of tin, 888.
 Schiel, J., fermentation, 663.
 —— formation of ozone by hydrocarbons, 592.
 Schiff, H., analysis of organic compounds containing halogens or nitrogen, 555.
 —— digallic acid, 466, 616.
 —— preservation of potable water, 85, 1072.
 —— tungsten oxychlorides and chlorides, 888.
 Schiff, R., action of aldehydes on chloral ammonia, 452.

Schiff, R., metanitrocinnamic acid, 321.
 — synthesis of metanitrocumaric acid, 157.
 Schiff, R., and G. Tassinari, two monobromopyromucic acids, 308.
 Schirokoff, and A. Saytzeff, allyldiethylcarbinol, 448.
 Schirokoff. See also Saytzeff.
 Schmidt, A., decomposition of hornstone, 511.
 — quartz diorite from Yosemite, 512.
 Schmidt, E., mercurialine (methylamine), 40.
 — methylerotonic and angelic acids, 617.
 Schmidt, E., and R. Sachtleben, iso-butylformic acid (inactive valeric acid), 139.
 Schmidt, H., and G. Schultz, azo-, azoxy- and hydrazo-compounds, 630.
 — — diphenols, 651.
 — — diphenyl bases, 252, 652.
 — — diphenylbenzenes, 163.
 Schmidt. See also Barth, and Weidel.
 Schmidt, G. A., nitrophenanthrene and its derivatives, 941.
 Schmiedeberg, O., a new carbohydrate, 779.
 Schmiedeberg, O., and Walter, formation of urea in the animal organism, 952.
 Schmitt, E., testing bees'-wax for rosin, 283.
 — the volatile acid of eroton oil, 221.
 Schmitt, R., constitution of dichlorazophenol, 924.
 — preparation of azobenzene from aniline, 313.
 Schmitt, R., and Goldberg, action of bleaching powder on ethyl alcohol, 910.
 Schmitt, R., and O. Mittenzwey, action of diazo-compounds on ethyl mercaptan, 304.
 Schmitt, R., and R. Möhlau, azoxy-, azo- and hydrazo-phenetols, 317.
 Schmitz, H. J., substitution-products of mesitylenic acid, 155.
 Schmitz, A., diphenylene ketone and phenylbenzoic acid, 164.
 Schmitz. See also Fittig.
 Schmoeger, M., isomalic acid, 618.
 — on the possibility of replacing the carbonic acid of the air necessary for the production of chlorophyll in sarcophytic and parasitic plants by organic substances, 737.
 Schneider, R., atomic weight of antimony, 354.

Schönberg. See Sonntag.
 Schöne, E., electrolysis of hydrogen peroxide, 878.
 — estimation of hydrogen peroxide, 740.
 — hydrogen peroxide, 353, 592.
 Schopp. See Hell.
 Schorlemmer. See Dale.
 Schott, O., estimation of iodine in varec, 1051.
 Schraube. See Caro.
 Schrauf, A., the tellurium ores of Sichbenbürgen, 897.
 Schreder, J., fluorescein-carboxylic acid, 53.
 Schreder. See also Barth.
 Schreiner, L., boiling points of the ctheral salts of hydroxy- and alkyl-oxy-acids, 522.
 Schreiner, P., a new organic base in the animal organism, 72.
 Schroeckinger, v., dietrichite, a new alum from Hungary, 440.
 Schroeder, H., law of molecular volumes, 197, 198, 430.
 — specific gravity determinations of solid organic compounds, 610.
 — volume constitution of the sulphates, selenates, and chromates of the magnesium metals, 768.
 Schröder, W., estimation of nitrogen in urine, 829.
 Schrottdt, M., composition of mare's milk, 550.
 Schüler, J., ferricyanides, 702.
 Schützenberger, P., researches on albumin, 542.
 Schützenberger, P., and A. Des-trem, composition of beer-yeast, 477.
 — — on alcoholic fermentation, 550.
 — — researches on beer-yeast, 476.
 Schulerud, L., on chromates and dichromates, 298.
 Schultz, E., specific rotatory power of isoocholesterin, 634.
 Schultz, G., constitution of phenanthrene, 538, 653.
 Schultz. See also Anschütz and Schmidt.
 Schultze, W., the malt test, 569.
 Schulz, H., action of cacodylic acid on the animal organism, 476.
 — action of mono- and di-phenylar-senic acid on animals, 476.
 Schulze, E., and J. Barbieri, lupinin, a new glucoside, 467.
 Schumacher, E., granular plagioclase in the limestone strata of Geppersdorf, 902.
 — growth phenomena on quartz crystals from Krummendorf, near Strehlen, 901.

Schumacher, E., idocrase in the limestone strata of Deutsch Tschammdorf, 902.

Schunck, E., indigo-blue, 532.

Schunck, E., and H. Roemer, metabenzdioxanthraquinone, 68.

— *a*- and *β*-nitroalizarin and *β*-amidoalizarin, 654.

— nitroalizarin, 725.

Schwal. See Medicus.

Schwarz, composition of pyropissite, 1021.

Schwarz, H., formula of hippuraffin, 650.

Seegen, J., transformation of glycogen by the salivary and pancreatic ferments, 548.

Seelig, E., derivatives of mucic acid, 783.

Seidler. See Liebermann.

Selmi, F., formation of poisonous alkaloids in the human corpse, 734.

— poisonous alkaloid from an exhumed corpse, 734.

Semlianitzine and A. Saytzeff, oxyvaleric acid from allyl dimethyl carbinal, 618.

Sendlner, R., action of ethyl oxalate on dimethylparaphenylenediamine, 627.

— some new salts of uranyl, 507.

Sestini, F., the glucoside of liquorice, 727.

Settegast, H., contributions to quantitative spectrum analysis, 828.

Seubert, C., atomic weight of iridium, 125.

— double salts of diad iridium, 125.

Shadwell. See Claisen.

Sicherer. See Franchimont.

Sieber. See Nencki.

Siebold, L., titration of hydrocyanic acid and cyanides, and its relation to alkalimetry, 486.

Siegfried. See Albert.

Siewert, E., analysis of hops, 957.

— estimation of fatty matters in feeding stuffs, 558.

Simon. See Hübner.

Simonin, L., a new process for the treatment of iron and copper pyrites in the dry way, 563.

— the part played by coal-dust in producing explosions in coal mines, 98.

Skraup, Z. H., cinchonine and cinchonidine, 71.

— composition of cinchonine, 948.

— constitution of cinchonine bases, 810.

— oxidation-products of cinchona bases, 656.

— oxidation-products of cinchonine, 948.

Skraup, Z. H., oxidation-products of quinine, 809.

Skraup, Z. H., and G. Vortmann, cinchonidine, 948.

Smetham, A., composition of boiler incrustation, 839.

Smith, A. J., halogen-derivatives of *β*-naphthol, 722.

— blue flame from common salt, 497.

Smith, E. F., electrolytic estimation of cadmium, 746.

Smith, E. J., electrolytic estimation of cadmium, 276.

Smith, J. J. See Mills.

Smith, J. L., a new earth of the cerium group, and on the analysis of natural niobates, 12.

— crystals extracted from cast-iron by ether, 771.

— daubreelite, the new meteoric mineral, 33.

— remarkable specimen of silicon iron, 204.

— the native iron of Greenland and the dolorite which encloses it, 892.

— the supposed new element mosandrium, 13.

Smith, J. L., and L. de Boisbaudran, spectrum of didymium nitrate, 861.

Smith, R. A., absorption of gases by charcoal, Part II, on a new series of equivalents or molecules, 500.

— detection of fire damp, 991.

Smith, W., characteristic reactions of the aromatic hydrocarbons with antimony or bismuth trichloride, 831.

— extinguishing fires in tar distilleries, 1080.

— vapour-densities of the three isomeric dinaphthyls, 537.

Snyders, A. J. C., chemical action of water and saline solutions on zinc, 11.

Sokoloff, N., explosion of nitromannitol, 1080.

— preparation of nitromannite and the conditions of its explosion, 777.

Solvay, E., preparation of chlorine and hydrochloric acid by means of calcium and magnesium chlorides, 8.

Sommaruga, E. v., action of ammonia on isatin, Part II, 63.

— action of ammonia on quinones, 718.

— molecular weight of indigo, 532.

— vapour-density of indigo, 63.

Sonntag, E., M. Schönberg, and H. Lorenz, feeding experiments with sheep, 951.

Soret, J. L., fluorescence of the salts of the earth-metals, 862.

Soxhlet, F., quantitative estimation of milk fat, 1068.

Soyka, J., influence of soils on the decomposition of organic substances, 339.

Spica, P., propylphenols and other derivatives of propylbenzene, 631.

Spiegelberg, L., nitro-, amido-, and bromo-benzenesulphonic acids, 796.

Spiegelberg. See also Henzelmann.

Spitzer, F. V., camphene from camphor, and its homologues, 168.
— camphor dichloride, 168.

Stackmann. See Doeblner.

Staedel, W., benzophenone, 318.
— halogen-derivatives of ethane, 368.
— halogen-derivatives of ethane and ethylene, 212.
— racemic acid, 223.

Staedel, W., and G. Damm, bromonitro- and bromamido-anisol, 239.

Städel, W., and E. Halm, apparatus for regulating the atmospheric pressure in boiling-point determinations, 346.

Städel, W., and Kleinschmidt, isoindol, 252.

Städel, W., and E. Sauer, dinitrobenzophenone, 242.

Stahlschmidt, C., polyporic acid, 382.

Stahre. See Dragendorff.

Stead, J. E., phosphorus in Cleveland ironstone and in iron, 90.

Stefan, diffusion of carbonic anhydride through water and alcohol, 347.

Steffens, Manoury, Matejczek, and Drevermann, recovery of sugar from molasses, 844.

Stein, G., analysis of Turkey-red oil, 984.

Steinau, R. and C., manufacture of a red pigment from iron scrap, 97.

Steiner, J., the ammoniacal copper test and its application, 1066.

Stevenson, W., estimation of quinine in *ferri et quinæ citræ*, B.P., 405.

Stillman, J. M., bernadinite, a resinous mineral from California, 603.

Stingl, J., valuation of burnt lime, 400.

Stingl, J., and T. Morawski, production of sulphur from sulphurous acid and hydrogen sulphide, 1012.

Stingl. See also Morawski.

Stock, W. F. K., analysis of boiler feedwaters, 273.

Stoddart, W., the logwood test for alum, 483.

Stöckenius, O., phenylamidacetic acid, 322.

Stoeder, W., estimation of the alkaloids in the Bolivian quinine barks exhibited at the Horticultural Exhibition in Amsterdam, 281.

Stohmann, F., a calorimetric method, 586.

Storer, F., and D. S. Lewis, analysis of shave grass, 956.
— — analyses of some species of the gourd family, 961.
— — analyses of weeds used as salad, 821.
— — seed of *Sorghum vulgare*, 956.

Streeker. See Lippmann.

Streng, A., sulphide of silver from Andreasberg, 440, 898.

Stünkel, C., daphnetin, 469.

Stützer, A., preparation of pressed yeast as a bye-product from potato-spirit, 843.

Suida, W., isatin derivatives, 937.

T.

Tacchini, M., ferruginous particles deposited by a sirocco at certain places in Italy, 515.

Takácz, A., oxidation in the organism, 814.

Tanret, C., alkaloids of the pomegranate, 657.
— pelletierine, a base from the bark of the pomegranate, 170.

Tappeiner, H., action of potassium dichromate and sulphuric acid on cholic acid, 388.

Tassinari, G., derivatives of arachidic acid, 307.

Tassinari. See also Schiff.

Tattersall, J., new test for papaverine, 1067.

Tedeschi, V., resorcinoldisulphonic acid, 934.

Terrel, A., analyses of metallic fragments obtained from Peruvian tombs at Arreón (Lima), 409.
— new determination of the equivalent of aluminium, 692.
— new method for determining the melting point of organic substances, 673.

Textor. See Gabba.

Treiber. See Lintner.

Thaer, experimental inquiry as to the quantity of nitrogen which must be supplied to cultivated plants to ensure their normal development as field crops, 668.

Theodor. See Voit.

Thörner, W., and T. Zincke, di-phenylmethylacetic acid, 322.
— — pinacones and pinacolines, Part IV, 317.

Thollon, L., displacement of the lines

of the spectrum by the motion due to the sun's rotation, 574.

Thomas, J. W., composition of the gas which issued from one of the shafts of Abercarn Colliery, 357.

Thomsen, A. L., action of potassium cyanate on epichlorhydrin, 217.

Thomsen, J., accuracy of thermochemical results, 433.

— composition of precipitated copper sulphide, 206.

— heat of formation of metallic sulphides, 433.

— monohydrated sodium sulphate and dihydrated sodium carbonate, 194.

— thermochemical researches: heat of solution of nitrates, sulphates, dithionates, and some other salts, 6.

— zinc sulphhydrate, 206.

Thomsen, T., composition of wood, 613.

Thomson, J. S., preparation of distilled water free from ammonia, 878.

Thomson, W., the ferment produced by the morbid growth of the bioplasm of the yolk of egg, 478.

Thoms, G., teak wood, 996.

Thresh, J. C., detection and approximate determination of minute quantities of alcohol, 279.

Tichborne, C. R. C., some peculiarities of the Vartry waters, and the action of that water on boiler-plates, 85.

Tiemann, F., relation between the xylenols and some other hydroxy-derivatives of benzenes, 924.

Tiemann, F., and E. Helkenberg, aldehydes from orcinol and their derivatives, 719.

Tiemann, F., and L. Landshoff, aldehyde-hydroxybenzoic acid, 927.

Tiemann, F., and C. L. Reimer, umbelliferone derivatives, 720.

Tiemann. See also Baumann.

Tilden, W. A., an examination of distilled essence of lemon, 386.

— compounds of the terpenes with hydrochloric acid, 943.

— determination of specific gravities, 197.

Tönnies, P., action of nitrosyl chloride on unsaturated hydrocarbons, 517.

— action of nitrous acid on unsaturated hydrocarbons, 35.

— conversion of furfuralgelic acid into azelaic acid, 915.

— relation of dibromopyromucic acid to mucobromic acid, 918.

Tollens, B., oxidation of levulinic acid, 523.

Tollens, B., specific rotatory power of cane-sugar, 136, 557.

Tollens. See also Dieck and Rodewald.

Tornöe, H., results of the Norwegian expedition to the North Sea, 1060.

Trippke, P., the enstatite in the olivine nodules of the Gröditzberg, 514.

— the twin formation of phillipsite, from Sirgwitz, 515.

Trompetter. See Berntsen.

Troost, L., basic hydrosulphides of ammonia, 880.

— distillation of a heterogeneous liquid, 875.

— employment of diffusion in the study of the phenomena of dissociation, 1006.

— maximum tension and vapour-density of alizarin, 1039.

— new compounds of hydrochloric acid with ammonia, 501.

— vapour-densities of high boiling organic compounds, 1025.

Trümpler, E., action of soda solution on picramic acid, 717.

Tschaplowitz, F., absorption of water by leaves, 819.

Tschermak, G., pelagosome, 604.

Tschermak. See also Buchner and Grimaux.

Tweedie, G. R., new method of producing a coating of magnetic iron oxide on iron surfaces, 840.

U.

Ullik, F., absorptive power of soils, 667.

— gelatinous silica as an inorganic membrane, 199.

— agricultural experiments on irrigated land, 825.

Urbain and Renoul, a compound of alumina with carbonic acid, 885.

Urech, F., action of potassium carbonate on isobutyl aldehyde, 520.

V.

Valente. See Cannizzaro.

Valitsky, action of aniline, toluidine, and naphthylamine on chloresteryl chloride, 376.

Varenne, L., compound of chromic acid with potassium fluoride, 1016.

— formation of crystalline metallic

oxides by means of potassium cyanide, 1016.

Vaucher, G., ly-chô, a new thickening material, 187.

Vedova, F. G., improvements in the manufacture of materials containing tannic acid, 496.

Vibrans, G., choice of beet-root for seed, 822.

Vicille. See Sarrau.

Vielhaber, H. C., application of phenol phthaléin, 273.

— estimation of hydrocyanic acid in bitter-almond water, 280.

Villiers, A., analysis of honey from Ethiopia, 450.

Villari, E., thermic and galvanometric laws of the electric spark, 576.

Vincent, C., distillation of beet-root residues, 913.

— presence of nitrites in the distillate obtained by the calcination of residues from beet-root molasses, 612.

Vincent, C., and Delachanal, density and coefficient of expansion of liquid methyl chloride, 294.

Violle, J., radiation from incandescent platinum, 573.

— specific heat and latent heat of fusion of palladium, 294.

Vogel, H. W., difference in the absorption spectra of one and the same substance, 189.

— photographed spectra of oxygen and hydrogen, 497.

— testing alizarin colouring-matters and green aniline colours, 83.

Voglór, H., composition of commercial ammonium carbonate and of the product formed on exposing it to air, 354.

Vohl, H., mineral spring "Marienbrunnen," near Iserlohn, Westphalia, 211.

— Ofner Radóczy-bitterwater, 211.

Voit, C., influence of the temperature of the surrounding air on the processes of decomposition in the organism of warm-blooded animals, 75.

Voit, C., and C. Theodor, influence of the surrounding temperature on the tissue metamorphosis of warm-blooded animals, 951.

Vortmann, G., cobalt-ammonium compounds, 438.

Vortmann. See also Lippmann.

Vulpius, G., formation of mercuric from mercurous chloride, 889.

— mechanical purification of mercury, 125.

— salicylates and their application, 641.

Vulpius, G., solubility of sulphur and phosphorus, 104.

W.

Waage, P., the ebullioscope, 1065.

Waage. See also Guldberg.

Wagner, R. v., numeite, a new jewel, 184.

Walitzky, W., derivatives of brain cholesterol, 135.

Wallace, R. W., and C. F. Claus, application of gas-liquor to the production of potassium carbonate and other salts, 677.

Wallach, O., chloralide and its derivatives, 43.

— organic thio-compounds, 312.

Wallach, O., and O. Bischof, decomposition of dichloracrylic acid by alkalis, 453.

Wallach, O., and H. Bleibtreu, thio-derivatives, 786.

Wallach, O., and P. Pirath, thi-amides of the oxalic acid series, 784.

Waltenhofen, A. v., magnetic behaviour of finely-divided iron, 1000.

Walter. See Schmiedeberg.

Wanklyn, J. A., and W. J. Cooper, the moist-combustion process, 555.

Warden, C. J. H., composition of poppy-petal ash, 395.

Wartha, V., hectograph and chromograph, 836.

— preliminary note on the analysis of the Zsádányer meteorite, 210.

Wasowicz, M. v., Verryken's method of detecting metallic poisons, 973.

Wassermann, M., derivatives of methyleugenol, 790.

Watson, W. H., detection of milk adulteration, 1068.

Wattenberg, H., estimation of soluble phosphoric acid in superphosphates, 672.

Weber, R., behaviour of tin and lead alloys with vinegar, 990.

— composition and durability of glass, 754.

Weber, W., detection of indican in urine, 343.

Weidel, H., berberine, 656.

Weidel, H., and M. v. Schmidt, formation of cinchomeronic acid from quinine, and its identity with pyridene-carbonic acid, 947.

Weigelt, C., Dochnahl's new method of preparing wine, 569.

— the time of first racking-off new wines, 569.

Weigert, L., clarifying and preserving wine, 290.
 — estimation of acetic acid in urine, 980.

Weil, F., further note on Weil's volumetric method of estimating copper, 276.

Wein, E., estimation of soluble phosphoric acid in superphosphates, 745.
 — feeding calves without the cow's milk, 1046.

Wein, E., and E. Ebermann, manure experiments with bone meal, superphosphate, and with potash salts, 959.

Weinberg. See Jacobsen.

Weisbach, A., cacochlor from Rengersdorf, near Görlitz, 901.

Weisinger. See Riessmüller.

Weith, W., synthesis of carbotriphenyl-triamine, 462.

Weith. See also Merz.

Weitz, M., crystallisation of sugar and preparation of sugar-candy, 844.

Werigo and Melikoff, monochloro-lactic acid and dichloropropionic acid from glyceric acid, 521.

Weselsky, P., and R. Benedikt, azo-phenols, 718.

Weyl, T., creatinine and creatine, 471.
 — decomposition of tyrosine by putrefaction, 541.

Whewell, G., analysis of bleaching powder, 505.
 — tenacity of starch, 570.

Wichmann, A., the sericite rocks of the Taunus, 23.

Widmann, O., action of chlorine on naphthalene β -sulphonic chloride: a new trichloronaphthalene, 722.
 — dichloronaphthalene β -sulphonic acid, 722.

Widmann, E., isomeric nitro- and amido-benzoic acids, and formation of chloranil from the latter, 154.

Wiebe, H. F., expansion of solid and fluid bodies, 1002.
 — thermo-chemical relation between the boiling and melting points of solid elements, 690.

Wiedemann, G., dissociation of dissolved ferric salts, 348.

Wiesinger. See Müller.

Wigman. See Franchimont.

Wigner, G. W., nitrogen compounds present in cereals, 486.
 — nitrogenous constituents of cocoa, 493.
 — on Cleopatra's needle, 445.
 — some experiments with silicated carbon and spongy iron filters, 493.

Wilckens, M., digestion in the different divisions of the digestive canal of the sheep, 391.

Wildt, seeds of *Lallemandia iberica*, 822.

Wilkes, J., and T. Johnson, improvements in purifying or refining copper, 423.

Willgerodt, C., action of the basic compounds on solutions of α -dinitrochlorobenzene in carbon bisulphide, 714.
 — ethers of trinitrophenol, 923.
 — preparation of ethers of α -dinitrophenol from α -dinitrochlorobenzene, 716.

Williams, G., substitute for litmus, 553.

Willm, E., mineral waters of Auvergne, 446.
 — presence of mercury in the mineral waters of Saint Nectaire, 697.

Wilson, H. M., remarks on the estimation of calcium sulphate in beer, 79.

Winkelmann, A., deviation of some gases from Boyle's law, 346.

Winkler, C., fire damp in collieries, 760.

Witt, O., presence of ethyl alcohol in coal tar, 136.

Wittmaak, L., action of the sap of *Carica papaya*, 1048.
 — advantages of only partially removing the fat from oil seeds, 99.

Witz, A., thermic effect of the walls of closed vessels on the contained gases, 432.

Witz, G., inactivity of chromium compounds in producing aniline black as compared with the action of vanadium compounds, 421.
 — value of certain chemical agents in dyeing with aniline-black, 684.

Wolff. See Doeblner.

Wolffhügel, G., carbon monoxide in foundry furnaces, 344.

Wolfram, G., nitro-compounds of cellulose, 218.
 — nitro-derivatives of cellulose, 371.
 — quantitative determination of theobromine in cacao and chocolate, 406.

Wollny, E., ridge cultivation, 822.
 — temperature of soils, 824.

Wreden, F., camphor, 69.

Wroblewsky, E., mineral waters of the Couban in the Caucasus, 125.
 — separation of orthoxylene from its isomerides, and a new xylidene, 919.
 — structural formula of aromatic compounds, 526.

Wullner, A., relation between the specific heat at a constant volume, the temperature and the conductivity of gases, 2.

Wurster, C., methyl-derivatives of para-phenylenediamine, 626.
 — nitrodimethylaniline, 626.
 — quantitative estimation of starch in paper, 180.
 Wurster. See also Fittig.
 Wurtz, A., bases derived from aldol-ammonia, 704, 780.
 — chloral hydrate, 914.
 Wurtz, A., and E. Bouchut, digestive ferment of *Carica papaya*, 1048.

Y.

Young, W. C., note on the detection of alum in flour by the logwood test, 483.

Z.

Zeidler, O. and F., action of oxidising agents on the olefines, 907.

Zeisel. See Lieben.
 Zepharovich, V. v., magnetite from Monte Mulatto, S. Tyrol, 23.
 — new mineral occurrences in the iron ore district of Moravicza, in the Banat, 363.
 — mirabilite from Aussee, 23.
 — yellow dolomite from Bleiberg, 19.
 Zerener, H., method of preventing house-fungus, 1080.
 Zetter, H. H., Ruoff and Möe, researches on perchlorination, 721.
 Zetter. See also Merz.
 Zimmermann. See Gabriel; also Muchler.
 Zincke. See Breuer; also Thörner.
 Zorn, W., action of nitrosyl silver, 309.
 — diazo-compounds of the fatty series, 221.
 Züblin, H., synthesis of isosuccinic acid, 783.
 Zulkowsky, C., aurin, 58.
 — diastase and beet mucilage, 660.
